

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW032819\
 Data File : VW009561.D
 Acq On : 29 Mar 2019 03:07
 Operator : SY/VA
 Sample : K2149-04
 Misc : 4.95G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF5H3

Manual Integrations
 APPROVED

MMDadoda
 4/1/2019 4:06:16 AM

Quant Time: Mar 29 08:50:32 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 29 07:41:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	369781	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	334190	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	120048	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	131852	29.84	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	119.36%
7) Chloroethane-d5	2.89	69	120943	23.39	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.56%
10) 1,1-Dichloroethene-d2	4.01	63	191585	20.06	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	80.24%
20) 2-Butanone-d5	7.07	46	43352	23.72	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	47.44%
24) Chloroform-d	7.65	84	247427	24.52	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	98.08%
26) 1,2-Dichloroethane-d4	8.30	65	147736	24.30	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.20%
29) Benzene-d6	8.27	84	462605	25.10	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	100.40%
33) 1,2-Dichloropropane-d6	9.27	67	142746	25.79	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	103.16%
37) Toluene-d8	10.32	98	399326	23.43	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.72%
38) trans-1,3-Dichloropropene-	10.58	79	46228	16.63	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	66.52%
39) 2-Hexanone-d5	10.93	63	27158	20.26	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	40.52%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	106201	19.48	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	77.92%
61) 1,2-Dichlorobenzene-d4	13.86	152	109997	23.90	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.60%

Target Compounds					Qvalue
16) Methylene chloride	4.91	84	19624m	3.639	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW032819\
Data File : VW009561.D
Acq On : 29 Mar 2019 03:07
Operator : SY/VA
Sample : K2149-04
Misc : 4.95G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BF5H3

Manual Integrations
APPROVED

MMDadoda
4/1/2019 4:06:16 AM

Quant Time: Mar 29 08:50:32 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 29 07:41:24 2019
Response via : Initial Calibration





#16

Methylene chloride

Concen: 3.639 ug/L m

RT: 4.91 min Scan# 493

Delta R.T. -0.01 min

Lab File: VW009561.D

Acq: 29 Mar 2019 03:07

Instrument :

MSVOA_W

ClientSampleId :

BF5H3

Tgt Ion:	84	Resp:	19624
Ion	Ratio	Lower	Upper
84	100		
49	136.5	96.0	178.2
86	68.0	44.4	82.5

Manual Integrations
APPROVED

MMDadoda
4/1/2019 4:06:16 AM

