

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032921\
 Data File : VW018476.D
 Acq On : 29 Mar 2021 11:17
 Operator : SY/VA
 Sample : M1816-19
 Misc : 5.88G/10ML/MSVOA_W/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG3R3

Quant Time: Mar 30 03:11:08 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 30 03:10:03 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	489007	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	443877	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.560	152	204821	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	146675	21.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.20%
7) Chloroethane-d5	2.898	69	132129	22.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.72%
10) 1,1-Dichloroethene-d2	4.019	63	187551	15.96	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.84%
20) 2-Butanone-d5	7.080	46	56067	37.01	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.02%
24) Chloroform-d	7.647	84	270900	21.75	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	87.00%
26) 1,2-Dichloroethane-d4	8.305	65	153099	21.06	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	84.24%
29) Benzene-d6	8.275	84	516939	21.91	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	87.64%
33) 1,2-Dichloropropane-d6	9.275	67	149073	21.90	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.60%
37) Toluene-d8	10.323	98	485285	21.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.44%
38) trans-1,3-Dichloroprop...	10.573	79	63059	17.96	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	71.84%
39) 2-Hexanone-d5	10.921	63	46921	35.22	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	70.44%
48) 1,1,2,2-Tetrachloroeth...	12.695	84	113054	18.57	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	74.28%
61) 1,2-Dichlorobenzene-d4	13.847	152	154011	21.15	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	84.60%
Target Compounds						
13) Acetone	4.123	43	3353	3.08	ug/L	66
14) Carbon disulfide	4.391	76	9546	0.52	ug/L #	92
42) cis-1,3-Dichloropropene	10.031	75	5819	0.55	ug/L #	73
45) trans-1,3-Dichloropropene	10.579	75	3705	0.39	ug/L #	66
59) 1,2,3-Trichloropropane	13.560	75	29074	6.35	ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032921\
Data File : VW018476.D
Acq On : 29 Mar 2021 11:17
Operator : SY/VA
Sample : M1816-19
Misc : 5.88G/10ML/MSVOA_W/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BG3R3

Quant Time: Mar 30 03:11:08 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 30 03:10:03 2021
Response via : Initial Calibration









#13
Acetone
Concen: 3.08 ug/L
RT: 4.123 min Scan# 364
Delta R.T. 0.006 min
Lab File: VW018476.D
Acq: 29 Mar 2021 11:17




Instrument :
MSVOA_W
ClientSampled :
BG3R3


Tgt Ion: 43 Resp: 3353
Ion Ratio Lower Upper
43 100
58 12.4 0.0 62.2



#14
Carbon disulfide
Concen: 0.52 ug/L
RT: 4.391 min Scan# 408
Delta R.T. 0.006 min
Lab File: VW018476.D
Acq: 29 Mar 2021 11:17

Tgt Ion: 76 Resp: 9546
Ion Ratio Lower Upper
76 100
78 6.6 7.4 11.2#









#42
cis-1,3-Dichloropropene
Concen: 0.55 ug/L
RT: 10.031 min Scan# 1333
Delta R.T. -0.042 min
Lab File: VW018476.D
Acq: 29 Mar 2021 11:17




Instrument :
MSVOA_W
ClientSampled :
BG3R3


Tgt Ion: 75 Resp: 5819
Ion Ratio Lower Upper
75 100
77 46.9 22.4 41.6#



#45
trans-1,3-Dichloropropene
Concen: 0.39 ug/L
RT: 10.579 min Scan# 1423
Delta R.T. -0.024 min
Lab File: VW018476.D
Acq: 29 Mar 2021 11:17

Tgt Ion: 75 Resp: 3705
Ion Ratio Lower Upper
75 100
77 51.2 22.6 42.0#





#59
 1,2,3-Trichloropropane
 Concen: 6.35 ug/L
 RT: 13.560 min Scan# 1912
 Delta R.T. 0.793 min
 Lab File: VW018476.D
 Acq: 29 Mar 2021 11:17

Instrument :
 MSVOA_W
 ClientSampleId :
 BG3R3

Tgt Ion: 75 Resp: 29074
 Ion Ratio Lower Upper
 75 100
 77 36.6 25.6 38.4

