

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032921\
 Data File : VW018478.D
 Acq On : 29 Mar 2021 12:05
 Operator : SY/VA
 Sample : M1816-18
 Misc : 5.60G/10ML/MSVOA_W/SOIL
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG3Q5

Manual Integrations
 APPROVED

MMDadoda
 3/31/2021 10:55:50 AM

Quant Time: Mar 30 03:11:39 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 30 03:10:03 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	363575	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	284397	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.560	152	90398	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	116295	22.99	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	91.96%		
7) Chloroethane-d5	2.891	69	104220	23.53	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	94.12%		
10) 1,1-Dichloroethene-d2	4.019	63	140371	16.07	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	64.28%		
20) 2-Butanone-d5	7.080	46	60506	53.72	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	107.44%		
24) Chloroform-d	7.647	84	214638	23.18	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	92.72%		
26) 1,2-Dichloroethane-d4	8.305	65	131581	24.34	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	97.36%		
29) Benzene-d6	8.275	84	402224	26.60	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	106.40%		
33) 1,2-Dichloropropane-d6	9.274	67	117894	27.03	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	108.12%		
37) Toluene-d8	10.323	98	349023	23.98	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	95.92%		
38) trans-1,3-Dichloroprop...	10.579	79	47467	21.10	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	84.40%		
39) 2-Hexanone-d5	10.927	63	50097	58.70	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	117.40%		
48) 1,1,2,2-Tetrachloroeth...	12.695	84	96405	24.71	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	98.84%		
61) 1,2-Dichlorobenzene-d4	13.853	152	65175	20.28	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	81.12%		
Target Compounds					Qvalue	
13) Acetone	4.123	43	10650	13.16	ug/L	93
14) Carbon disulfide	4.397	76	18404m	1.34	ug/L	
16) Methylene chloride	4.922	84	9104m	1.53	ug/L	
34) Benzene	8.323	78	27476	1.67	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW032921\
Data File : VW018478.D
Acq On : 29 Mar 2021 12:05
Operator : SY/VA
Sample : M1816-18
Misc : 5.60G/10ML/MSVOA_W/SOIL
ALS Vial : 7 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BG3Q5

Manual Integrations
APPROVED

MMDadoda
3/31/2021 10:55:50 AM

Quant Time: Mar 30 03:11:39 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 30 03:10:03 2021
Response via : Initial Calibration









#13
Acetone
Concen: 13.16 ug/L
RT: 4.123 min Scan# 364
Delta R.T. 0.006 min
Lab File: VW018478.D
Acq: 29 Mar 2021 12:05

Tgt Ion: 43 Resp: 10650
Ion Ratio Lower Upper
43 100
58 27.4 0.0 62.2

Instrument :
MSVOA_W
ClientSampled :
BG3Q5




Manual Integrations
APPROVED


MMDadoda
3/31/2021 10:55:50 AM



#14
Carbon disulfide
Concen: 1.34 ug/L m
RT: 4.397 min Scan# 409
Delta R.T. 0.012 min
Lab File: VW018478.D
Acq: 29 Mar 2021 12:05


Tgt Ion: 76 Resp: 18404
Ion Ratio Lower Upper
76 100
78 6.1 7.4 11.2#





#16
Methylene chloride
Concen: 1.53 ug/L m
RT: 4.922 min Scan# 495
Delta R.T. 0.000 min
Lab File: VW018478.D
Acq: 29 Mar 2021 12:05

Instrument :
MSVOA_W
ClientSampleId :
BG3Q5






Tgt Ion: 84 Resp: 9104

Ion	Ratio	Lower	Upper
84	100		
49	103.2	74.4	138.2
86	74.5	46.1	85.7

Manual Integrations
APPROVED

MMDadoda
3/31/2021 10:55:50 AM



#34
Benzene
Concen: 1.67 ug/L
RT: 8.323 min Scan# 1053
Delta R.T. 0.000 min
Lab File: VW018478.D
Acq: 29 Mar 2021 12:05

Tgt Ion: 78 Resp: 27476

