

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW033019\
 Data File : VW009598.D
 Acq On : 30 Mar 2019 18:55
 Operator : SY/VA
 Sample : K2167-13
 Misc : 6.08G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF114

Quant Time: Mar 30 21:21:13 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 30 21:16:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	433066	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	416467	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	184326	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	166766	32.22	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	128.88%
7) Chloroethane-d5	2.89	69	152377	25.16	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.64%
10) 1,1-Dichloroethene-d2	4.01	63	249118	22.27	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	89.08%
20) 2-Butanone-d5	7.07	46	89201	41.68	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	83.36%
24) Chloroform-d	7.64	84	331555	28.05	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	112.20%
26) 1,2-Dichloroethane-d4	8.30	65	198080	27.82	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	111.28%
29) Benzene-d6	8.27	84	626922	27.30	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	109.20%
33) 1,2-Dichloropropane-d6	9.27	67	190496	27.61	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	110.44%
37) Toluene-d8	10.32	98	569079	26.80	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	107.20%
38) trans-1,3-Dichloropropene-	10.58	79	82780	23.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	95.56%
39) 2-Hexanone-d5	10.93	63	70431	42.15	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.30%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	157186	23.14	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.56%
61) 1,2-Dichlorobenzene-d4	13.85	152	199717	28.26	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	113.04%

Target Compounds


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
12) 1,1-Dichloroethene	4.03	96	11735	2.201	ug/L	# 1
13) Acetone	4.12	43	3092	1.762	ug/L	65
22) cis-1,2-Dichloroethene	7.16	96	20062	3.303	ug/L	95
35) Trichloroethene	9.09	95	22185	3.652	ug/L	97
45) trans-1,3-Dichloropropene	10.58	75	4824	0.582	ug/L	89
47) Tetrachloroethene	10.86	164	625428	121.863	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW033019\
Data File : VW009598.D
Acq On : 30 Mar 2019 18:55
Operator : SY/VA
Sample : K2167-13
Misc : 6.08G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF114

Quant Time: Mar 30 21:21:13 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 30 21:16:55 2019
Response via : Initial Calibration









#12
 1,1-Dichloroethene
 Concen: 2.201 ug/L
 RT: 4.03 min Scan# 349
 Delta R.T. -0.00 min
 Lab File: VW009598.D
 Acq: 30 Mar 2019 18:55




Instrument :
 MSVOA_W
 ClientSampleId :
 BF114


Tgt Ion: 96 Resp: 11735
 Ion Ratio Lower Upper
 96 100
 61 313.8 129.4 240.2#
 63 1175.4 116.8 217.0#



#13
 Acetone
 Concen: 1.762 ug/L
 RT: 4.12 min Scan# 364
 Delta R.T. 0.01 min
 Lab File: VW009598.D
 Acq: 30 Mar 2019 18:55

Tgt Ion: 43 Resp: 3092
 Ion Ratio Lower Upper
 43 100
 58 9.4 0.0 56.2





#22

cis-1,2-Dichloroethene

Concen: 3.303 ug/L

RT: 7.16 min Scan# 863

Delta R.T. 0.01 min

Lab File: VW009598.D

Acq: 30 Mar 2019 18:55

Instrument :

MSVOA_W

ClientSampleId :

BF114





Tgt Ion: 96 Resp: 20062

Ion Ratio Lower Upper

96 100

61 123.2 90.6 168.3

98 65.4 44.0 81.8



#35

Trichloroethene

Concen: 3.652 ug/L

RT: 9.09 min Scan# 1178

Delta R.T. -0.00 min

Lab File: VW009598.D

Acq: 30 Mar 2019 18:55

Tgt Ion: 95 Resp: 22185




Ion Ratio Lower Upper


95 100

97 66.4 44.7 82.9

132 94.8 69.0 128.2

130 104.8 72.7 134.9





#45

trans-1,3-Dichloropropene

Concen: 0.582 ug/L

RT: 10.58 min Scan# 1423

Delta R.T. -0.02 min

Lab File: VW009598.D

Acq: 30 Mar 2019 18:55

Instrument :

MSVOA_W

ClientSampled :





BF114

Tgt Ion: 75 Resp: 4824

Ion Ratio Lower Upper

75 100

77 38.2 22.5 41.7



#47

Tetrachloroethene

Concen: 121.863 ug/L

RT: 10.86 min Scan# 1469

Delta R.T. -0.00 min

Lab File: VW009598.D

Acq: 30 Mar 2019 18:55

Tgt Ion: 164 Resp: 625428

Ion Ratio Lower Upper

164 100

129 95.2 66.5 123.5

131 90.7 62.6 116.3

166 126.6 91.6 170.0

