

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW033019\
 Data File : VW009592.D
 Acq On : 30 Mar 2019 16:05
 Operator : SY/VA
 Sample : K2167-07
 Misc : 6.42G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF108

Manual Integrations
 APPROVED

MMDadoda
 4/1/2019 4:02:11 AM

Quant Time: Apr 17 01:26:15 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Sat Mar 30 21:16:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	448698	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	430701	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	187740	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	165953	30.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	123.80%
7) Chloroethane-d5	2.89	69	150647	24.01	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.04%
10) 1,1-Dichloroethene-d2	4.01	63	243481	21.01	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	84.04%
20) 2-Butanone-d5	7.07	46	76684	34.58	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	69.16%
24) Chloroform-d	7.64	84	319890	26.12	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	104.48%
26) 1,2-Dichloroethane-d4	8.31	65	186658	25.30	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.20%
29) Benzene-d6	8.27	84	606872	25.55	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	102.20%
33) 1,2-Dichloropropane-d6	9.27	67	183085	25.66	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	102.64%
37) Toluene-d8	10.32	98	545751	24.85	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.40%
38) trans-1,3-Dichloropropene-	10.58	79	76004	21.21	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.84%
39) 2-Hexanone-d5	10.93	63	54108	31.31	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	62.62%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	143445	20.42	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	81.68%
61) 1,2-Dichlorobenzene-d4	13.85	152	184681	25.65	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	102.60%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
13) Acetone	4.12	43	12549	6.901	ug/L	94
16) Methylene chloride	4.91	84	6458m	0.987	ug/L	
44) Toluene	10.39	91	40507	1.572	ug/L	92
47) Tetrachloroethene	10.86	164	69241	13.046	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW033019\
Data File : VW009592.D
Acq On : 30 Mar 2019 16:05
Operator : SY/VA
Sample : K2167-07
Misc : 6.42G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BF108

Manual Integrations
APPROVED

MMDadoda
4/1/2019 4:02:11 AM

Quant Time: Apr 17 01:26:15 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Sat Mar 30 21:16:55 2019
Response via : Initial Calibration





#13

Acetone

Concen: 6.901 ug/L

RT: 4.12 min Scan# 363

Delta R.T. 0.00 min

Lab File: VW009592.D

Acq: 30 Mar 2019 16:05

Instrument :

MSVOA_W

ClientSampleId :

BF108

Tot Ion: 43 Resp: 12549

Ion Ratio Lower Upper

43 100


58 24.8 0.0 56.2

Manual Integrations

APPROVED

MMDadoda

4/1/2019 4:02:11 AM





Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW

4.12

4.05 4.10 4.15 4.20

Time-->



#16

Methylene chloride

Concen: 0.987 ug/L m

RT: 4.91 min Scan# 493

Delta R.T. 0.00 min

Lab File: VW009592.D

Acq: 30 Mar 2019 16:05


Tgt Ion: 84 Resp: 6458

Ion Ratio Lower Upper

84 100

49 157.5 96.0 178.2

86 70.9 44.4 82.5



Abundance Ion 84.00 (83.70 to 84.70): VW


Ion 49.00 (48.70 to 49.70): VW


Ion 86.00 (85.70 to 86.70): VW

4.91

4.80 4.90 5.00

Time-->





#44

Toluene

Concen: 1.572 ug/L

RT: 10.39 min Scan# 1392

Delta R.T. 0.01 min

Lab File: VW009592.D

Acq: 30 Mar 2019 16:05

Instrument :

MSVOA_W

ClientSampled :

BF108

Tot Ion: 91 Resp: 40507





Ion Ratio Lower Upper

91 100

92 50.9 39.8 73.8

Manual Integrations
APPROVED

MMDadoda
4/1/2019 4:02:11 AM



#47

Tetrachloroethene

Concen: 13.046 ug/L

RT: 10.86 min Scan# 1469

Delta R.T. 0.00 min

Lab File: VW009592.D

Acq: 30 Mar 2019 16:05

Tgt Ion: 164 Resp: 69241

Ion Ratio Lower Upper

164 100

129 94.4 66.5 123.5

131 88.9 62.6 116.3

166 130.5 91.6 170.0

