

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW033023\
 Data File : VW025515.D
 Acq On : 30 Mar 2023 20:11
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK432

Quant Time: Mar 31 02:26:35 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Mar 31 02:21:49 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	652367	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	595538	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	277777	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	188262	17.356	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.440%
7) Chloroethane-d5	2.899	69	159459	20.431	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.720%
11) 1,1-Dichloroethene-d2	4.021	63	321295	15.336	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.360%
21) 2-Butanone-d5	7.075	46	127043	47.716	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.440%
24) Chloroform-d	7.648	84	456493	24.273	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.080%
26) 1,2-Dichloroethane-d4	8.039	65	188	0.019	ug/L	-0.27
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.080%#
32) Benzene-d6	8.276	84	921352	22.642	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.560%
36) 1,2-Dichloropropane-d6	9.270	67	298554	23.716	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.880%
41) Toluene-d8	10.319	98	793992	22.130	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.520%
43) trans-1,3-Dichloroprop...	10.575	79	102239	20.396	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.600%
47) 2-Hexanone-d5	10.922	63	80822	44.648	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.300%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	213065	23.102	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.400%
66) 1,2-Dichlorobenzene-d4	13.848	152	247046	23.916	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.680%
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	35814	3.943	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW033023\
Data File : VW025515.D
Acq On : 30 Mar 2023 20:11
Operator : SY/MD
Sample : VIBLK
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK432

Quant Time: Mar 31 02:26:35 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Mar 31 02:21:49 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 3.943 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW025515.D
Acq: 30 Mar 2023 20:11

Instrument :
MSVOA_W
ClientSampleId :
VIBLK432

Tgt Ion: 84 Resp: 35814
Ion Ratio Lower Upper
84 100
86 57.7 45.1 83.7
49 133.4 94.7 175.9

