




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW033123\
 Data File : VW025520.D
 Acq On : 31 Mar 2023 10:09
 Operator : SY/MD
 Sample : VW0331SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK477

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/01/2023
 Supervised By :Mahesh Dadoda 04/03/2023

Quant Time: Apr 01 00:36:06 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Apr 01 00:35:04 2023
 Response via : Initial Calibration



TIC: VW025520.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (-0.000) 20.62 ug/L m

response 228822

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	53.30	0.03#
51.00	111.10	0.06#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW033123\
 Data File : VW025520.D
 Acq On : 31 Mar 2023 10:09
 Operator : SY/MD
 Sample : VW0331SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK477

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/01/2023
 Supervised By :Mahesh Dadoda 04/03/2023

Quant Time: Apr 01 00:36:06 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Apr 01 00:35:04 2023
 Response via : Initial Calibration

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.843	114		717114	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117		654929	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152		303303	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.363	65		172428	14.461	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery	=	57.840%	
7) Chloroethane-d5	2.899	69		145989	17.016	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery	=	68.080%	
11) 1,1-Dichloroethene-d2	4.021	63		294245	12.777	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery	=	51.120%	
21) 2-Butanone-d5	7.075	46		122749	41.941	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery	=	83.880%	
24) Chloroform-d	7.648	84		408986	19.783	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery	=	79.120%	
26) 1,2-Dichloroethane-d4	8.307	65		228822m	20.622	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery	=	82.480%	
32) Benzene-d6	8.276	84		822378	18.377	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery	=	73.520%	
36) 1,2-Dichloropropane-d6	9.276	67		273947	19.788	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery	=	79.160%	
41) Toluene-d8	10.325	98		705035	17.869	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery	=	71.480%	
43) trans-1,3-Dichloroprop...	10.575	79		96331	17.474	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery	=	69.880%	
47) 2-Hexanone-d5	10.922	63		77149	38.754	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery	=	77.500%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84		201651	19.882	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery	=	79.520%	
66) 1,2-Dichlorobenzene-d4	13.848	152		231240	20.502	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery	=	82.000%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW033123\
Data File : VW025520.D
Acq On : 31 Mar 2023 10:09
Operator : SY/MD
Sample : VW0331SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK477

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/01/2023
Supervised By :Mahesh Dadoda 04/03/2023

Quant Time: Apr 01 00:36:06 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM030623SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Apr 01 00:35:04 2023
Response via : Initial Calibration

