

Data File : VW009631.D
Acq On : 01 Apr 2019 18:49
Operator : SY/VA
Sample : VIBLK19
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Apr 02 02:17:14 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 02 01:34:09 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	415661	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	402108	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	186387	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	89111	17.94	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.76%
7) Chloroethane-d5	2.89	69	101756	17.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	70.04%
10) 1,1-Dichloroethene-d2	4.01	63	169857	15.82	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.28%
20) 2-Butanone-d5	7.08	46	111753	54.40	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.80%
24) Chloroform-d	7.64	84	275804	24.31	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.24%
26) 1,2-Dichloroethane-d4	8.30	65	179953	26.33	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	105.32%
29) Benzene-d6	8.27	84	481505	21.71	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.84%
33) 1,2-Dichloropropane-d6	9.27	67	161445	24.24	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.96%
37) Toluene-d8	10.32	98	437513	21.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.36%
38) trans-1,3-Dichloropropene-	10.58	79	70617	21.11	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.44%
39) 2-Hexanone-d5	10.93	63	76849	47.64	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.28%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	167104	25.47	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.88%
61) 1,2-Dichlorobenzene-d4	13.86	152	175825	24.60	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.40%

Target Compounds					Qvalue
16) Methylene chloride	4.92	84	14060m	2.320	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW009631.D
Acq On : 01 Apr 2019 18:49
Operator : SY/VA
Sample : VIBLK19
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Apr 02 02:17:14 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 02 01:34:09 2019
Response via : Initial Calibration

