

Data File : VW009640.D
Acq On : 01 Apr 2019 22:54
Operator : SY/VA
Sample : K2119-11
Misc : 5.09G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Apr 02 03:44:40 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 02 01:34:09 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	192343	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	197855	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	85383	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	58497	25.45	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	101.80%
7) Chloroethane-d5	2.89	69	57776	21.48	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.92%
10) 1,1-Dichloroethene-d2	4.00	63	95188	19.16	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	76.64%
20) 2-Butanone-d5	7.07	46	49754	52.34	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	104.68%
24) Chloroform-d	7.65	84	138373	26.36	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	105.44%
26) 1,2-Dichloroethane-d4	8.30	65	92389	29.22	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	116.88%
29) Benzene-d6	8.27	84	235062	21.54	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.16%
33) 1,2-Dichloropropane-d6	9.27	67	81008	24.72	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	98.88%
37) Toluene-d8	10.32	98	196810	19.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	78.04%
38) trans-1,3-Dichloropropene-	10.57	79	34065	20.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.80%
39) 2-Hexanone-d5	10.93	63	33611	42.34	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.68%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	87665	27.16	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	108.64%
61) 1,2-Dichlorobenzene-d4	13.85	152	83301	25.44	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.76%

Target Compounds					Qvalue
13) Acetone	4.13	43	3028	3.884 ug/L	99
16) Methylene chloride	4.90	84	13513m	4.818 ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW009640.D
Acq On : 01 Apr 2019 22:54
Operator : SY/VA
Sample : K2119-11
Misc : 5.09G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Apr 02 03:44:40 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 02 01:34:09 2019
Response via : Initial Calibration

