

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW040119\
 Data File : VW009628.D
 Acq On : 01 Apr 2019 17:27
 Operator : SY/VA
 Sample : K2166-04
 Misc : 6.36G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF106

Quant Time: Apr 02 01:48:18 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 02 01:34:09 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	518798	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	494935	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	225315	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	123991	20.00	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.00%
7) Chloroethane-d5	2.90	69	120807	16.65	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.60%
10) 1,1-Dichloroethene-d2	4.01	63	212433	15.85	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.40%
20) 2-Butanone-d5	7.07	46	94932	37.03	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.06%
24) Chloroform-d	7.65	84	303365	21.43	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.72%
26) 1,2-Dichloroethane-d4	8.31	65	181503	21.28	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	85.12%
29) Benzene-d6	8.27	84	544141	19.94	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	79.76%
33) 1,2-Dichloropropane-d6	9.27	67	171152	20.88	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	83.52%
37) Toluene-d8	10.32	98	482379	19.11	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	76.44%
38) trans-1,3-Dichloropropene-	10.58	79	76193	18.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	74.04%
39) 2-Hexanone-d5	10.93	63	69924	35.22	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	70.44%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	152458	18.88	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	75.52%
61) 1,2-Dichlorobenzene-d4	13.86	152	185061	21.42	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	85.68%

Target Compounds					Ovalue
16) Methylene chloride	4.92	84	20644	2.729 ug/L	95
47) Tetrachloroethene	10.86	164	234284	38.412 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW040119\
Data File : VW009628.D
Acq On : 01 Apr 2019 17:27
Operator : SY/VA
Sample : K2166-04
Misc : 6.36G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF106

Quant Time: Apr 02 01:48:18 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 02 01:34:09 2019
Response via : Initial Calibration

