

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW040119\
 Data File : VW009639.D
 Acq On : 01 Apr 2019 22:27
 Operator : SY/VA
 Sample : K2119-10
 Misc : 6.72G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF5A4

Quant Time: Apr 02 03:08:32 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 02 01:34:09 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	437856	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	425030	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	185759	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	116572	22.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.12%
7) Chloroethane-d5	2.89	69	116225	18.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	75.92%
10) 1,1-Dichloroethene-d2	4.01	63	190348	16.83	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.32%
20) 2-Butanone-d5	7.07	46	100056	46.24	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.48%
24) Chloroform-d	7.64	84	285256	23.87	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.48%
26) 1,2-Dichloroethane-d4	8.30	65	177660	24.68	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.72%
29) Benzene-d6	8.27	84	500241	21.34	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	85.36%
33) 1,2-Dichloropropane-d6	9.27	67	162115	23.03	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.12%
37) Toluene-d8	10.32	98	434201	20.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.12%
38) trans-1,3-Dichloropropene-	10.58	79	68981	19.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	78.04%
39) 2-Hexanone-d5	10.93	63	68222	40.01	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.02%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	155008	22.36	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.44%
61) 1,2-Dichlorobenzene-d4	13.85	152	168449	23.65	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	94.60%

Target Compounds

					Ovalue
13) Acetone	4.12	43	11967	6.744 ug/L	97
16) Methylene chloride	4.92	84	27147	4.252 ug/L	88
52) Chlorobenzene	11.65	112	16164	0.991 ug/L	95
65) 1,2-Dichlorobenzene	13.87	146	10854	1.028 ug/L #	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW040119\
Data File : VW009639.D
Acq On : 01 Apr 2019 22:27
Operator : SY/VA
Sample : K2119-10
Misc : 6.72G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF5A4

Quant Time: Apr 02 03:08:32 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 02 01:34:09 2019
Response via : Initial Calibration

