


Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW040119\
Quantitation Report (QT Reviewed)
Data File : VW009627.D
Acq On : 01 Apr 2019 16:02
Operator : SY/VA
Sample : VW0401SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK19

Manual Integrations
APPROVED

MMDadoda
4/8/2019 3:30:25 AM

Quant Time: Apr 02 01:43:59 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 02 01:34:09 2019
Response via : Initial Calibration



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW040119\
Quantitation Report (Qedit)




Data File : VW009627.D
Acq On : 01 Apr 2019 16:02
Operator : SY/VA
Sample : VW0401SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
Client Sampled :
VBLK19

Manual Integrations
APPROVED

MMDadoda
4/8/2019 3:30:25 AM

Quant Time: Apr 02 01:37:31 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 02 01:34:09 2019
Response via : Initial Calibration



TIC: VW009627.D

(16) Methylene chloride (T)

4.909min (-0.000) 1.38ug/L

response 9503

Ion	Exp%	Act%
84.00	100	100
49.00	137.10	136.81
86.00	63.50	68.96
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW040119\
Quantitation Report (Qedit)




Data File : VW009627.D
Acq On : 01 Apr 2019 16:02
Operator : SY/VA
Sample : VW0401SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
Client Sampled :
VBLK19

Manual Integrations
APPROVED

MMDadoda
4/8/2019 3:30:25 AM

Quant Time: Apr 02 01:37:31 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 02 01:34:09 2019
Response via : Initial Calibration



TIC: VW009627.D

(16) Methylene chloride (T)

4.909min (-0.000) 1.60ug/L m

response 10987

Ion	Exp%	Act%
84.00	100	100
49.00	137.10	136.81
86.00	63.50	68.96
0.00	0.00	0.00

7 mg
4/13/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW040119\
Quantitation Report (QT Reviewed)

Data File : VW009627.D
Acq On : 01 Apr 2019 16:02
Operator : SY/VA
Sample : VW0401SBL01
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
Client Sampled :
VBLK19

Manual Integrations
APPROVED

MMDadoda
4/8/2019 3:30:25 AM

Quant Time: Apr 02 01:43:59 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 02 01:34:09 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	471933	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	448709	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	209960	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	105489	18.71	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	74.84%	
7) Chloroethane-d5	2.89	69	111838	16.95	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	67.80%	
10) 1,1-Dichloroethene-d2	4.01	63	192049	15.76	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	63.04%	
20) 2-Butanone-d5	7.07	46	107418	46.06	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	92.12%	
24) Chloroform-d	7.64	84	297834	23.13	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	92.52%	
26) 1,2-Dichloroethane-d4	8.30	65	183503	23.65	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	94.60%	
29) Benzene-d6	8.27	84	531618	21.48	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	85.92%	
33) 1,2-Dichloropropane-d6	9.27	67	172312	23.18	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	92.72%	
37) Toluene-d8	10.32	98	477567	20.87	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	83.48%	
38) trans-1,3-Dichloropropene-	10.57	79	75359	20.19	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	80.76%	
39) 2-Hexanone-d5	10.93	63	75449	41.91	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	83.82%	
48) 1,1,2,2-Tetrachloroethane-	12.69	84	162376	22.18	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	88.72%	
61) 1,2-Dichlorobenzene-d4	13.86	152	184181	22.88	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	91.52%	

Target Compounds

					Qvalue
13) Acetone	4.12	43	6596	3.449 ug/L	84
16) Methylene chloride	4.91	84	10987m	1.596 ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

7M8
4/13/19