




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040121\
Data File : VW018536.D
Acq On : 01 Apr 2021 15:21
Operator : SY/VA
Sample : M1896-03
Misc : 5.78G/10ML/MSVOA_W/SOIL
ALS Vial : 28 Sample Multiplier: 1

Quant Time: Apr 02 03:31:59 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 02 03:28:33 2021
Response via : Initial Calibration



TIC: VW018536.D\data.ms

(16) Methylene chloride (T)




4.934min (+ 0.018) 1.55 ug/L m

response 11656

Ion	Exp%	Act%
84.00	100.00	100.00
49.00	106.30	87.55
86.00	65.90	64.45
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040121\
 Data File : VW018536.D
 Acq On : 01 Apr 2021 15:21
 Operator : SY/VA
 Sample : M1896-03
 Misc : 5.78G/10ML/MSVOA_W/SOIL
 ALS Vial : 28 Sample Multiplier: 1

Quant Time: Apr 02 03:31:59 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 02 03:28:33 2021
 Response via : Initial Calibration



TIC: VW018536.D\data.ms

(16) Methylene chloride (T)

4.910min (-0.006) 0.69 ug/L

response 5211

Ion	Exp%	Act%
84.00	100.00	100.00
49.00	106.30	123.67
86.00	65.90	66.33
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040121\
 Data File : VW018536.D
 Acq On : 01 Apr 2021 15:21
 Operator : SY/VA
 Sample : M1896-03
 Misc : 5.78G/10ML/MSVOA_W/SOIL
 ALS Vial : 28 Sample Multiplier: 1

Quant Time: Apr 02 03:31:59 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 02 03:28:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	459805	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	414638	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.554	152	195296	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	149745	23.40	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.60%
7) Chloroethane-d5	2.892	69	115420	20.61	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.44%
10) 1,1-Dichloroethene-d2	4.019	63	154838	14.02	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	56.08%
20) 2-Butanone-d5	7.080	46	52795	37.06	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.12%
24) Chloroform-d	7.647	84	222827	19.03	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	76.12%
26) 1,2-Dichloroethane-d4	8.305	65	139527	20.41	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	81.64%
29) Benzene-d6	8.275	84	443035	20.10	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	80.40%
33) 1,2-Dichloropropane-d6	9.275	67	129236	20.33	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	81.32%
37) Toluene-d8	10.323	98	429769	20.25	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	81.00%
38) trans-1,3-Dichloroprop...	10.579	79	55895	17.05	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	68.20%
39) 2-Hexanone-d5	10.921	63	40202	32.31	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	64.62%
48) 1,1,2,2-Tetrachloroeth...	12.689	84	105803	18.60	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	74.40%
61) 1,2-Dichlorobenzene-d4	13.847	152	140772	20.27	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	81.08%
Target Compounds						
					Qvalue	
13) Acetone	4.123	43	6710	6.56	ug/L	60
14) Carbon disulfide	4.391	76	5608	0.32	ug/L	99
16) Methylene chloride	4.934	84	11656m	1.55	ug/L	
44) Toluene	10.384	91	6946	0.25	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040121\
Data File : VW018536.D
Acq On : 01 Apr 2021 15:21
Operator : SY/VA
Sample : M1896-03
Misc : 5.78G/10ML/MSVOA_W/SOIL
ALS Vial : 28 Sample Multiplier: 1

Quant Time: Apr 02 03:31:59 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 02 03:28:33 2021
Response via : Initial Calibration

