

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW040219\
 Data File : VW009655.D
 Acq On : 02 Apr 2019 16:13
 Operator : SY/VA
 Sample : K2168-04
 Misc : 5.09G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF645

Quant Time: Apr 03 04:47:53 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 03 04:08:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	463696	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	430026	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	170690	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	119228	21.52	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.08%
7) Chloroethane-d5	2.89	69	113089	17.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.76%
10) 1,1-Dichloroethene-d2	4.01	63	193436	16.15	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.60%
20) 2-Butanone-d5	7.07	46	84666	36.95	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	73.90%
24) Chloroform-d	7.64	84	279091	22.06	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	88.24%
26) 1,2-Dichloroethane-d4	8.30	65	166729	21.87	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	87.48%
29) Benzene-d6	8.27	84	488099	20.58	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	82.32%
33) 1,2-Dichloropropane-d6	9.27	67	158132	22.20	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.80%
37) Toluene-d8	10.32	98	424977	19.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	77.52%
38) trans-1,3-Dichloropropene-	10.57	79	66148	18.49	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	73.96%
39) 2-Hexanone-d5	10.92	63	57844	33.53	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	67.06%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	132793	18.93	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	75.72%
61) 1,2-Dichlorobenzene-d4	13.86	152	141299	21.59	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	86.36%


Target Compounds					Qvalue
13) Acetone	4.12	43	20533	10.926 ug/L	99
16) Methylene chloride	4.91	84	59478	8.796 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW040219\
Data File : VW009655.D
Acq On : 02 Apr 2019 16:13
Operator : SY/VA
Sample : K2168-04
Misc : 5.09G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF645

Quant Time: Apr 03 04:47:53 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM031419S.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 03 04:08:07 2019
Response via : Initial Calibration





#13

Acetone

Concen: 10.926 ug/L

RT: 4.12 min Scan# 363

Delta R.T. 0.00 min

Lab File: VW009655.D

Acq: 02 Apr 2019 16:13

Instrument :

MSVOA_W

ClientSampleId :


BF645

Tgt Ion: 43 Resp: 20533

Ion Ratio Lower Upper




43 100

58 28.6 0.0 56.2



Abundance Ion 43.00 (42.70 to 43.70): VW

Ion 58.00 (57.70 to 58.70): VW



#16

Methylene chloride

Concen: 8.796 ug/L

RT: 4.91 min Scan# 493

Delta R.T. 0.00 min

Lab File: VW009655.D

Acq: 02 Apr 2019 16:13


Tgt Ion: 84 Resp: 59478

Ion Ratio Lower Upper

84 100

49 129.7 96.0 178.2

86 65.6 44.4 82.5



Abundance Ion 84.00 (83.70 to 84.70): VW

Ion 49.00 (48.70 to 49.70): VW

Ion 86.00 (85.70 to 86.70): VW

