

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW040319\
 Data File : VW009667.D
 Acq On : 03 Apr 2019 19:27
 Operator : SY/VA
 Sample : K2119-14
 Misc : 3.57G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF5A9

Manual Integrations
 APPROVED

MMDadoda
 4/10/2019 8:53:20 AM

Quant Time: Apr 04 02:15:30 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 04 02:03:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	526284	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	495659	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	219108	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.35	65	185979	27.01	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	108.04%		
7) Chloroethane-d5	2.89	69	161460	25.59	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	102.36%		
10) 1,1-Dichloroethene-d2	4.01	63	295226	19.93	ug/L	-0.01
Spiked Amount 25.000	Range 45 - 110		Recovery =	79.72%		
20) 2-Butanone-d5	7.08	46	80714	36.10	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	72.20%		
24) Chloroform-d	7.64	84	356734	24.84	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	99.36%		
26) 1,2-Dichloroethane-d4	8.31	65	203736m	23.11	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	92.44%		
29) Benzene-d6	8.27	84	688862	26.47	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	105.88%		
33) 1,2-Dichloropropane-d6	9.27	67	201582	25.08	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	100.32%		
37) Toluene-d8	10.32	98	631055	26.23	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	104.92%		
38) trans-1,3-Dichloropropene-	10.58	79	85324	22.26	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	89.04%		
39) 2-Hexanone-d5	10.93	63	57632	38.05	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	76.10%		
48) 1,1,2,2-Tetrachloroethane-	12.69	84	147084	19.69	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	78.76%		
61) 1,2-Dichlorobenzene-d4	13.86	152	204777	26.63	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	106.52%		
Target Compounds						
13) Acetone	4.12	43	29641	12.372	ug/L	98
16) Methylene chloride	4.91	84	42373	4.565	ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW040319\
Data File : VW009667.D
Acq On : 03 Apr 2019 19:27
Operator : SY/VA
Sample : K2119-14
Misc : 3.57G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF5A9

Manual Integrations
APPROVED

MMDadoda
4/10/2019 8:53:20 AM

Quant Time: Apr 04 02:15:30 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 04 02:03:18 2019
Response via : Initial Calibration

