

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW040319\
 Data File : VW009676.D
 Acq On : 04 Apr 2019 00:55
 Operator : SY/VA
 Sample : VIBLK
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK

Quant Time: Apr 04 03:39:36 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 04 02:03:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	610598	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	579021	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	277970	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	215641	26.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	107.96%
7) Chloroethane-d5	2.89	69	157320	21.49	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.96%
10) 1,1-Dichloroethene-d2	4.01	63	326196	18.98	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	75.92%
20) 2-Butanone-d5	7.07	46	163962	63.20	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	126.40%
24) Chloroform-d	7.64	84	389212	23.36	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.44%
26) 1,2-Dichloroethane-d4	8.30	65	255224	24.95	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	99.80%
29) Benzene-d6	8.27	84	776648	25.55	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	102.20%
33) 1,2-Dichloropropane-d6	9.27	67	230129	24.51	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	98.04%
37) Toluene-d8	10.32	98	703371	25.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	100.12%
38) trans-1,3-Dichloropropene-	10.57	79	105484	23.56	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	94.24%
39) 2-Hexanone-d5	10.93	63	104198	58.88	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	117.76%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	218533	25.04	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.16%
61) 1,2-Dichlorobenzene-d4	13.86	152	254711	26.11	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.44%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	21705	2.016 ug/L	95




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW040319\
Data File : VW009676.D
Acq On : 04 Apr 2019 00:55
Operator : SY/VA
Sample : VIBLK
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK

Quant Time: Apr 04 03:39:36 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 04 02:03:18 2019
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.016 ug/L
RT: 4.92 min Scan# 494
Delta R.T. 0.00 min
Lab File: VW009676.D
Acq: 04 Apr 2019 00:55

Instrument :
MSVOA_W
ClientSampleId :
VIBLK

Tot Ion: 84 Resp: 21705
Ion Ratio Lower Upper
84 100
49 133.8 98.3 182.5
86 62.4 46.4 86.2

