

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040424\
 Data File : VW028321.D
 Acq On : 04 Apr 2024 17:51
 Operator : SY/MD
 Sample : P1993-08
 Misc : 3.83g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BHA36

Quant Time: Apr 05 01:04:24 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 05 00:59:55 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	385858	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	349475	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	171147	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	66054	14.631	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	58.520%
7) Chloroethane-d5	2.899	69	51371	16.287	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.160%
11) 1,1-Dichloroethene-d2	4.021	65	42541	14.859	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	59.440%
21) 2-Butanone-d5	7.075	46	58496	43.930	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.860%
24) Chloroform-d	7.648	84	202630	17.809	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	71.240%
26) 1,2-Dichloroethane-d4	8.307	65	109364	17.442	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	69.760%#
32) Benzene-d6	8.276	84	392633	18.402	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	73.600%
36) 1,2-Dichloropropane-d6	9.276	67	123150	20.056	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	80.240%
41) Toluene-d8	10.325	98	343847	17.471	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	69.880%
43) trans-1,3-Dichloroprop...	10.575	79	47598	17.067	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	68.280%
47) 2-Hexanone-d5	10.922	63	45553	44.882	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.760%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	97573	21.512	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.040%
66) 1,2-Dichlorobenzene-d4	13.848	152	122838	19.703	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	78.800%
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	14320	2.438	ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040424\
Data File : VW028321.D
Acq On : 04 Apr 2024 17:51
Operator : SY/MD
Sample : P1993-08
Misc : 3.83g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BHA36


Quant Time: Apr 05 01:04:24 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM031424SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Apr 05 00:59:55 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.438 ug/L
RT: 4.917 min Scan# 49
Delta R.T. -0.012 min
Lab File: VW028321.D
Acq: 04 Apr 2024 17:51

Instrument :
MSVOA_W
ClientSampleId :
BHA36



Tgt Ion:	84	Resp:	14320
Ion	Ratio	Lower	Upper
84	100		
86	55.9	43.1	80.1
49	115.1	89.4	166.0

