

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW040619\  
 Data File : VW009792.D  
 Acq On : 07 Apr 2019 01:41  
 Operator : SY/VA  
 Sample : K2217-14  
 Misc : 5.16G/10ML/MSVOA W/SOIL  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_W  
 ClientSampleId :  
 BF604

Manual Integrations  
 APPROVED

MMDadoda  
 4/11/2019 11:43:22 AM

Quant Time: Apr 08 00:16:34 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_W\METHOD\SOM2WLM040319S.M  
 Quant Title : VOC Analysis  
 QLast Update : Sun Apr 07 05:36:41 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Difluorobenzene     | 8.84  | 114  | 430044   | 25.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 11.63 | 117  | 423326   | 25.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 13.56 | 152  | 179286   | 25.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |          |
|--------------------------------|--------|-------|----------|----------|------|----------|
| 4) Vinyl Chloride-d3           | 2.36   | 65    | 121574   | 21.60    | ug/L | 0.00     |
| Spiked Amount                  | 25.000 | Range | 30 - 150 | Recovery | =    | 86.40%   |
| 7) Chloroethane-d5             | 2.89   | 69    | 125103   | 24.27    | ug/L | 0.00     |
| Spiked Amount                  | 25.000 | Range | 30 - 150 | Recovery | =    | 97.08%   |
| 10) 1,1-Dichloroethene-d2      | 4.01   | 63    | 222256   | 18.36    | ug/L | 0.00     |
| Spiked Amount                  | 25.000 | Range | 45 - 110 | Recovery | =    | 73.44%   |
| 20) 2-Butanone-d5              | 7.07   | 46    | 115002   | 62.94    | ug/L | 0.00     |
| Spiked Amount                  | 50.000 | Range | 20 - 135 | Recovery | =    | 125.88%  |
| 24) Chloroform-d               | 7.65   | 84    | 339878   | 28.96    | ug/L | 0.00     |
| Spiked Amount                  | 25.000 | Range | 40 - 150 | Recovery | =    | 115.84%  |
| 26) 1,2-Dichloroethane-d4      | 8.30   | 65    | 232100m  | 32.22    | ug/L | 0.00     |
| Spiked Amount                  | 25.000 | Range | 70 - 130 | Recovery | =    | 128.88%  |
| 29) Benzene-d6                 | 8.27   | 84    | 622546   | 28.01    | ug/L | 0.00     |
| Spiked Amount                  | 25.000 | Range | 20 - 135 | Recovery | =    | 112.04%  |
| 33) 1,2-Dichloropropane-d6     | 9.27   | 67    | 206042   | 30.02    | ug/L | 0.00     |
| Spiked Amount                  | 25.000 | Range | 70 - 120 | Recovery | =    | 120.08%# |
| 37) Toluene-d8                 | 10.32  | 98    | 559404   | 27.23    | ug/L | 0.00     |
| Spiked Amount                  | 25.000 | Range | 30 - 130 | Recovery | =    | 108.92%  |
| 38) trans-1,3-Dichloropropene- | 10.57  | 79    | 84327    | 25.76    | ug/L | 0.00     |
| Spiked Amount                  | 25.000 | Range | 30 - 135 | Recovery | =    | 103.04%  |
| 39) 2-Hexanone-d5              | 10.93  | 63    | 72881    | 56.33    | ug/L | 0.00     |
| Spiked Amount                  | 50.000 | Range | 20 - 135 | Recovery | =    | 112.66%  |
| 48) 1,1,2,2-Tetrachloroethane- | 12.69  | 84    | 187798   | 29.43    | ug/L | 0.00     |
| Spiked Amount                  | 25.000 | Range | 45 - 120 | Recovery | =    | 117.72%  |
| 61) 1,2-Dichlorobenzene-d4     | 13.86  | 152   | 196531   | 31.24    | ug/L | 0.00     |
| Spiked Amount                  | 25.000 | Range | 75 - 120 | Recovery | =    | 124.96%# |

| Target Compounds       |      |    |        | Ovalue     |
|------------------------|------|----|--------|------------|
| 13) Acetone            | 4.11 | 43 | 14341m | 7.325 ug/L |
| 16) Methylene chloride | 4.92 | 84 | 10090m | 1.330 ug/L |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW040619\  
Data File : VW009792.D  
Acq On : 07 Apr 2019 01:41  
Operator : SY/VA  
Sample : K2217-14  
Misc : 5.16G/10ML/MSVOA W/SOIL  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_W  
ClientSampleId :  
BF604

Manual Integrations  
APPROVED

MMDadoda  
4/11/2019 11:43:22 AM

Quant Time: Apr 08 00:16:34 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_W\METHOD\SOM2WLM040319S.M  
Quant Title : VOC Analysis  
QLast Update : Sun Apr 07 05:36:41 2019  
Response via : Initial Calibration

