

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW040619\

Data File : VW009798.D

Acq On : 07 Apr 2019 04:25

Operator : SY/VA

Sample : K2217-19

Misc : 4.70G/10ML/MSVOA W/SOIL

ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 08 00:46:08 2019

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M

Quant Title : VOC Analysis


QLast Update : Sun Apr 07 05:36:41 2019

Response via : Initial Calibration

Instrument :
MSVOA_W
ClientSampled :
BF609

Manual Integrations
APPROVED

MMDadoda
4/11/2019 11:43:28 AM




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040619\
Data File : VW009798.D
Acq On : 07 Apr 2019 04:25
Operator : SY/VA
Sample : K2217-19
Misc : 4.70G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF609

Manual Integrations
APPROVED

MMDadoda
4/11/2019 11:43:28 AM

Quant Time: Apr 07 05:40:50 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Sun Apr 07 05:36:41 2019
Response via : Initial Calibration



(13) Acetone (T)

4.050min (-0.073) 1.07ug/L

response 335

Ion	Exp%	Act%
43.00	100	100
58.00	26.50	13.43
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040619\
 Data File : VW009798.D
 Acq On : 07 Apr 2019 04:25
 Operator : SY/VA
 Sample : K2217-19
 Misc : 4.70G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF609

Manual Integrations
 APPROVED

MMDadoda
 4/11/2019 11:43:28 AM

Quant Time: Apr 07 05:40:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Sun Apr 07 05:36:41 2019
 Response via : Initial Calibration



TIC: VW009798.D

(13) Acetone (T)

4.111min (-0.012) 27.19ug/L m

response 8538

Ion	Exp%	Act%
43.00	100	100
58.00	26.50	0.53
0.00	0.00	0.00
0.00	0.00	0.00

Handwritten: 2018
 4/9/19

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040619\
 Data File : VW009798.D
 Acq On : 07 Apr 2019 04:25
 Operator : SY/VA
 Sample : K2217-19
 Misc : 4.70G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF609

Manual Integrations
 APPROVED

MMDadoda
 4/11/2019 11:43:28 AM

Quant Time: Apr 07 05:40:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Sun Apr 07 05:36:41 2019
 Response via : Initial Calibration



TIC: VW009798.D

(16) Methylene chloride (T)

4.903min (-0.012) 3.99ug/L

response 4853

Ion	Exp%	Act%
84.00	100	100
49.00	140.40	132.51
86.00	66.30	47.95
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040619\
 Data File : VW009798.D
 Acq On : 07 Apr 2019 04:25
 Operator : SY/VA
 Sample : K2217-19
 Misc : 4.70G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF609

Manual Integrations
 APPROVED

MMDadoda
 4/11/2019 11:43:28 AM

Quant Time: Apr 07 05:40:50 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Sun Apr 07 05:36:41 2019
 Response via : Initial Calibration



TIC: VW009798.D

(16) Methylene chloride (T)

4.903min (-0.012) 7.46ug/L m

response 9073

Ion	Exp%	Act%
84.00	100	100
49.00	140.40	132.51
86.00	66.30	47.95
0.00	0.00	0.00

7 MG
 4/9/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW040619\
 Data File : VW009798.D
 Acq On : 07 Apr 2019 04:25
 Operator : SY/VA
 Sample : K2217-19
 Misc : 4.70G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampled :
 BF609

Quant Time: Apr 08 00:46:08 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Sun Apr 07 05:36:41 2019
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 4/11/2019 11:43:28 AM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	8.84	114	68978	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	38438	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	6329	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	47138	52.22	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	208.88%#
7) Chloroethane-d5	2.89	69	56801	68.69	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	274.76%#
10) 1,1-Dichloroethene-d2	4.01	63	83859	43.20	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	172.80%#
20) 2-Butanone-d5	7.08	46	69261	236.33	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	472.66%#
24) Chloroform-d	7.64	84	192751	102.41	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	409.64%#
26) 1,2-Dichloroethane-d4	8.31	65	91515	79.20	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	316.80%#
29) Benzene-d6	8.27	84	285399	141.44	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	565.76%#
33) 1,2-Dichloropropane-d6	9.27	67	116966	187.67	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	750.68%#
37) Toluene-d8	10.32	98	149942	80.37	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	321.48%#
38) trans-1,3-Dichloropropene-	10.57	79	9448	31.79	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	127.16%
39) 2-Hexanone-d5	10.93	63	28498	242.60	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	485.20%#
48) 1,1,2,2-Tetrachloroethane-	12.69	84	80975	139.75	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	559.00%#
61) 1,2-Dichlorobenzene-d4	13.86	152	19477	87.70	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	350.80%#

Target Compounds

					Ovalue	
13) Acetone	4.11	43	8538m	27.190	ug/L	
16) Methvlene chloride	4.90	84	9073m	7.458	ug/L	
44) Toluene	10.39	91	1800	0.735	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

32m.D
 4/11/19