

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW040619\
 Data File : VW009796.D
 Acq On : 07 Apr 2019 03:31
 Operator : SY/VA
 Sample : K2217-18
 Misc : 4.87G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF608

Manual Integrations
 APPROVED

MMDadoda
 4/11/2019 11:43:26 AM

Quant Time: Apr 08 00:34:16 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Sun Apr 07 05:36:41 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	416723	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	392320	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	144801	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	129249	23.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	94.80%
7) Chloroethane-d5	2.89	69	128329	25.69	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	102.76%
10) 1,1-Dichloroethene-d2	4.01	63	235863	20.11	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	80.44%
20) 2-Butanone-d5	7.08	46	106243	60.01	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	120.02%
24) Chloroform-d	7.64	84	357540	31.44	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	125.76%
26) 1,2-Dichloroethane-d4	8.30	65	237737	34.05	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	136.20%#
29) Benzene-d6	8.27	84	658448	31.97	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	127.88%
33) 1,2-Dichloropropane-d6	9.27	67	213479	33.56	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	134.24%#
37) Toluene-d8	10.32	98	574129	30.15	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	120.60%
38) trans-1,3-Dichloropropene-	10.57	79	65420	21.56	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.24%
39) 2-Hexanone-d5	10.93	63	67606	56.39	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	112.78%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	193458	32.71	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	130.84%#
61) 1,2-Dichlorobenzene-d4	13.86	152	173083	34.06	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	136.24%#

Target Compounds					Ovalue
13) Acetone	4.12	43	205072	108.100 ug/L	98
16) Methylene chloride	4.92	84	9349m	1.272 ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW040619\
Data File : VW009796.D
Acq On : 07 Apr 2019 03:31
Operator : SY/VA
Sample : K2217-18
Misc : 4.87G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BF608

Manual Integrations
APPROVED

MMDadoda
4/11/2019 11:43:26 AM

Quant Time: Apr 08 00:34:16 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Sun Apr 07 05:36:41 2019
Response via : Initial Calibration





#13

Acetone

Concen: 108.100 ug/L

RT: 4.12 min Scan# 363

Delta R.T. -0.01 min

Lab File: VW009796.D

Acq: 07 Apr 2019 03:31

Instrument :

MSVOA_W

ClientSampleId :

BF608

Tot Ion: 43 Resp: 205072

Ion Ratio Lower Upper

43 100





58 25.7 0.0 53.0

Manual Integrations

APPROVED

MMDadoda

4/11/2019 11:43:26 AM



#16

Methylene chloride

Concen: 1.272 ug/L m

RT: 4.92 min Scan# 495

Delta R.T. 0.01 min

Lab File: VW009796.D

Acq: 07 Apr 2019 03:31

Tgt Ion: 84 Resp: 9349

Ion Ratio Lower Upper

84 100

49 130.8 98.3 182.5

86 63.9 46.4 86.2

