

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040721\
 Data File : VW018581.D
 Acq On : 07 Apr 2021 15:18
 Operator : SY/VA
 Sample : M1896-19RE
 Misc : 5.84G/10ML/MSVOA_W/SOIL
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG5A5RE

Manual Integrations
 APPROVED

MMDadoda
 4/9/2021 9:27:28 AM

Quant Time: Apr 08 05:36:47 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 08 05:34:15 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	109308	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	77910	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.560	152	19904	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	38438	25.27	ug/L	-0.01
Spiked Amount 25.000	Range 30 - 150		Recovery =	101.08%		
7) Chloroethane-d5	2.892	69	33162	24.91	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	99.64%		
10) 1,1-Dichloroethene-d2	4.019	63	42640	16.24	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	64.96%		
20) 2-Butanone-d5	7.086	46	27053	79.89	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	159.78%#		
24) Chloroform-d	7.647	84	63303	22.74	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	90.96%		
26) 1,2-Dichloroethane-d4	8.305	65	40833	25.12	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	100.48%		
29) Benzene-d6	8.275	84	117739	28.43	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	113.72%		
33) 1,2-Dichloropropane-d6	9.274	67	35483	29.70	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	118.80%		
37) Toluene-d8	10.323	98	95817	24.03	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	96.12%		
38) trans-1,3-Dichloroprop...	10.579	79	11336	18.40	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	73.60%		
39) 2-Hexanone-d5	10.927	63	16368	70.01	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	140.02%#		
48) 1,1,2,2-Tetrachloroeth...	12.689	84	35272	33.00	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	132.00%#		
61) 1,2-Dichlorobenzene-d4	13.853	152	15806	22.34	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	89.36%		
Target Compounds					Qvalue	
13) Acetone	4.123	43	6928	28.48	ug/L	95
16) Methylene chloride	4.916	84	2889m	1.61	ug/L	
22) cis-1,2-Dichloroethene	7.171	96	46976	29.48	ug/L	90
34) Benzene	8.323	78	8213	1.82	ug/L	100
35) Trichloroethene	9.098	95	1248	1.00	ug/L #	30
44) Toluene	10.384	91	1759	0.34	ug/L	90
47) Tetrachloroethene	10.866	164	4482	4.74	ug/L	81

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040721\
Data File : VW018581.D
Acq On : 07 Apr 2021 15:18
Operator : SY/VA
Sample : M1896-19RE
Misc : 5.84G/10ML/MSVOA_W/SOIL
ALS Vial : 14 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BG5A5RE

Quant Time: Apr 08 05:36:47 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 08 05:34:15 2021
Response via : Initial Calibration

Manual Integrations
APPROVED


MMDadoda
4/9/2021 9:27:28 AM





#13
Acetone
Concen: 28.48 ug/L
RT: 4.123 min Scan# 364
Delta R.T. 0.000 min
Lab File: VW018581.D
Acq: 07 Apr 2021 15:18




Instrument :
MSVOA_W
ClientSampleId :
BG5A5RE




Tgt Ion: 43 Resp: 6928
Ion Ratio Lower Upper
43 100
58 33.7 0.0 62.2

Manual Integrations
APPROVED



MMDadoda
4/9/2021 9:27:28 AM




#16
Methylene chloride
Concen: 1.61 ug/L m
RT: 4.916 min Scan# 494
Delta R.T. 0.000 min
Lab File: VW018581.D
Acq: 07 Apr 2021 15:18




Tgt Ion: 84 Resp: 2889
Ion Ratio Lower Upper
84 100
49 94.8 74.4 138.2
86 58.5 46.1 85.7





#22
 cis-1,2-Dichloroethene
 Concen: 29.48 ug/L
 RT: 7.171 min Scan# 864
 Delta R.T. 0.000 min
 Lab File: VW018581.D
 Acq: 07 Apr 2021 15:18

Instrument :
 MSVOA_W
 ClientSampleId :
 BG5A5RE






Tgt Ion: 96 Resp: 46976


Ion	Ratio	Lower	Upper
96	100		
61	136.1	84.8	157.6
98	66.6	45.1	83.9

Manual Integrations
 APPROVED



MMDadoda
 4/9/2021 9:27:28 AM




#34
 Benzene
 Concen: 1.82 ug/L
 RT: 8.323 min Scan# 1053
 Delta R.T. 0.000 min
 Lab File: VW018581.D
 Acq: 07 Apr 2021 15:18




Tgt Ion: 78 Resp: 8213





#35
Trichloroethene
Concen: 1.00 ug/L
RT: 9.098 min Scan# 1180
Delta R.T. 0.006 min
Lab File: VW018581.D
Acq: 07 Apr 2021 15:18




Instrument :
MSVOA_W
ClientSampleId :
BG5A5RE




Tgt Ion: 95 Resp: 1248
Ion Ratio Lower Upper
95 100
97 36.3 44.4 82.4#
132 32.5 65.9 122.5#
130 0.0 67.4 125.2#

Manual Integrations
APPROVED



MMDadoda
4/9/2021 9:27:28 AM




#44
Toluene
Concen: 0.34 ug/L
RT: 10.384 min Scan# 1391
Delta R.T. 0.000 min
Lab File: VW018581.D
Acq: 07 Apr 2021 15:18




Tgt Ion: 91 Resp: 1759
Ion Ratio Lower Upper
91 100
92 52.9 42.3 78.5







#47
Tetrachloroethene
Concen: 4.74 ug/L
RT: 10.866 min Scan# 1470
Delta R.T. 0.006 min
Lab File: VW018581.D
Acq: 07 Apr 2021 15:18



Tgt Ion:164 Resp: 4482

Ion	Ratio	Lower	Upper
164	100		
129	105.8	68.8	127.8
131	76.1	68.3	126.8
166	105.3	95.4	177.2



Instrument :
MSVOA_W
ClientSampleId :
BG5A5RE

Manual Integrations
APPROVED

MMDadoda
4/9/2021 9:27:28 AM