

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040722\
 Data File : VW022445.D
 Acq On : 07 Apr 2022 20:33
 Operator : SY/VA
 Sample : VIBLK413
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK413

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 04/09/2022
 Supervised By :Mahesh Dadoda 04/11/2022

Quant Time: Apr 08 06:35:09 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 08 06:30:01 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	360771	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	351511	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	170638	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	165053	20.695	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	82.760%		
7) Chloroethane-d5	2.885	69	112291	22.465	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	89.880%		
11) 1,1-Dichloroethene-d2	4.019	63	164797	15.931	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	63.720%		
21) 2-Butanone-d5	7.080	46	69246	49.730	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	99.460%		
24) Chloroform-d	7.647	84	268478	23.809	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	95.240%		
26) 1,2-Dichloroethane-d4	8.305	65	160681m	24.939	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	99.760%		
32) Benzene-d6	8.275	84	521796	24.297	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	97.200%		
36) 1,2-Dichloropropane-d6	9.274	67	156151	25.125	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	100.520%		
41) Toluene-d8	10.323	98	486769	23.143	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	92.560%		
43) trans-1,3-Dichloroprop...	10.573	79	64516	21.996	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	88.000%		
47) 2-Hexanone-d5	10.920	63	58087	50.235	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	100.480%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	125293	23.710	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	94.840%		
66) 1,2-Dichlorobenzene-d4	13.853	152	154060	25.490	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	101.960%		
Target Compounds					Qvalue	
51) Chlorobenzene	11.652	112	29254	1.751	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040722\
Data File : VW022445.D
Acq On : 07 Apr 2022 20:33
Operator : SY/VA
Sample : VIBLK413
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK413

Quant Time: Apr 08 06:35:09 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Apr 08 06:30:01 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 04/09/2022
Supervised By :Mahesh Dadoda 04/11/2022

