




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040722\
Data File : VW022433.D
Acq On : 07 Apr 2022 15:44
Operator : SY/VA
Sample : N2262-19
Misc : 6.91g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW6L9

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/09/2022
Supervised By :Mahesh Dadoda 04/11/2022

Quant Time: Apr 08 06:32:11 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Apr 08 06:30:01 2022
Response via : Initial Calibration



TIC: VW022433.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.396min (+ 0.091) 0.06 ug/L

response 373

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	49.70	44.77
51.00	99.30	76.14
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040722\
 Data File : VW022433.D
 Acq On : 07 Apr 2022 15:44
 Operator : SY/VA
 Sample : N2262-19
 Misc : 6.91g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW6L9

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/09/2022
 Supervised By :Mahesh Dadoda 04/11/2022

Quant Time: Apr 08 06:32:11 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 08 06:30:01 2022
 Response via : Initial Calibration



TIC: VW022433.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.305min (-0.000) 25.12 ug/L m

response 153262

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	49.70	0.11#
51.00	99.30	0.19#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040722\
 Data File : VW022433.D
 Acq On : 07 Apr 2022 15:44
 Operator : SY/VA
 Sample : N2262-19
 Misc : 6.91g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW6L9

Manual IntegrationsAPPROVED

Quant Time: Apr 08 06:32:11 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 08 06:30:01 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/09/2022
 Supervised By :Mahesh Dadoda 04/11/2022

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.841	114		341668	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.627	117		328605	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152		148928	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.355	65		152574	20.200	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	80.800%		
7) Chloroethane-d5	2.891	69		101729	21.490	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	85.960%		
11) 1,1-Dichloroethene-d2	4.019	63		132392	13.514	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	54.040%		
21) 2-Butanone-d5	7.079	46		83474	63.300	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	126.600%		
24) Chloroform-d	7.646	84		234997	22.005	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	88.000%		
26) 1,2-Dichloroethane-d4	8.305	65		153262m	25.117	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	100.480%		
32) Benzene-d6	8.274	84		441719	22.002	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	88.000%		
36) 1,2-Dichloropropane-d6	9.274	67		136550	23.503	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	94.000%		
41) Toluene-d8	10.323	98		405765	20.636	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	82.560%		
43) trans-1,3-Dichloroprop...	10.579	79		59070	21.543	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	86.160%		
47) 2-Hexanone-d5	10.920	63		67161	62.131	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	124.260%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84		132784	26.879	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	107.520%		
66) 1,2-Dichlorobenzene-d4	13.853	152		122550	23.232	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	92.920%		
Target Compounds							
						Qvalue	
13) Acetone	4.129	43		4536	5.052	ug/L	89
46) Tetrachloroethene	10.859	164		85026	19.363	ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040722\
Data File : VW022433.D
Acq On : 07 Apr 2022 15:44
Operator : SY/VA
Sample : N2262-19
Misc : 6.91g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW6L9

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/09/2022
Supervised By :Mahesh Dadoda 04/11/2022

Quant Time: Apr 08 06:32:11 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Apr 08 06:30:01 2022
Response via : Initial Calibration

