

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040722\
 Data File : VW022430.D
 Acq On : 07 Apr 2022 14:31
 Operator : SY/VA
 Sample : N2262-16
 Misc : 5.48g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW6L6

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 04/09/2022
 Supervised By :Mahesh Dadoda 04/11/2022

Quant Time: Apr 08 06:31:38 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 08 06:30:01 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	310898	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	300682	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	140541	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	148127	21.552	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	86.200%		
7) Chloroethane-d5	2.885	69	97200	22.566	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	90.280%		
11) 1,1-Dichloroethene-d2	4.019	63	125593	14.089	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	56.360%		
21) 2-Butanone-d5	7.080	46	86624	72.190	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	144.380%#		
24) Chloroform-d	7.647	84	229771	23.645	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	94.560%		
26) 1,2-Dichloroethane-d4	8.305	65	149113	26.856	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	107.440%		
32) Benzene-d6	8.275	84	422331	22.990	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	91.960%		
36) 1,2-Dichloropropane-d6	9.274	67	135464	25.481	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	101.920%		
41) Toluene-d8	10.323	98	392826	21.833	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	87.320%		
43) trans-1,3-Dichloroprop...	10.579	79	61620	24.560	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	98.240%		
47) 2-Hexanone-d5	10.920	63	71376	72.163	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	144.320%#		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	133688	29.575	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	118.320%		
66) 1,2-Dichlorobenzene-d4	13.853	152	126556	25.423	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	101.680%		
Target Compounds					Qvalue	
13) Acetone	4.123	43	6721m	8.227	ug/L	
14) Carbon disulfide	4.391	76	63962	4.645	ug/L	100
46) Tetrachloroethene	10.859	164	45631	11.357	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040722\
Data File : VW022430.D
Acq On : 07 Apr 2022 14:31
Operator : SY/VA
Sample : N2262-16
Misc : 5.48g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
EW6L6

Quant Time: Apr 08 06:31:38 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Apr 08 06:30:01 2022
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 04/09/2022
Supervised By :Mahesh Dadoda 04/11/2022





#13
Acetone
Concen: 8.227 ug/L m
RT: 4.123 min Scan# 364
Delta R.T. -0.000 min
Lab File: VW022430.D
Acq: 07 Apr 2022 14:31




Instrument : MSVOA_W
ClientSampleId : EW6L6




Tgt Ion: 43 Resp: 672
Ion Ratio Lower Upper
43 100
58 14.9 0.0 57.0

Manual Integrations
APPROVED



Reviewed By :Semsettin Yesilyurt 04/09/2022
Supervised By :Mahesh Dadoda 04/11/2022




#14
Carbon disulfide
Concen: 4.645 ug/L
RT: 4.391 min Scan# 408
Delta R.T. -0.000 min
Lab File: VW022430.D
Acq: 07 Apr 2022 14:31




Tgt Ion: 76 Resp: 63962
Ion Ratio Lower Upper
76 100
78 9.6 7.6 11.4





#46
Tetrachloroethene
Concen: 11.357 ug/L
RT: 10.859 min Scan# 1469
Delta R.T. -0.000 min
Lab File: VW022430.D
Acq: 07 Apr 2022 14:31

Instrument :
MSVOA_W
ClientSampleId :
EW6L6



Tgt Ion:164 Resp: 4563
Ion Ratio Lower Upper
164 100
129 101.6 74.1 137.7
131 95.3 71.4 132.6
166 126.9 95.9 178.1

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 04/09/2022
Supervised By :Mahesh Dadoda 04/11/2022

