

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW040819\
 Data File : VW009862.D
 Acq On : 10 Apr 2019 05:06
 Operator : SY/VA
 Sample : K2327-15
 Misc : 6.79G/10ML/MSVOA_W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF116

Quant Time: Apr 10 06:07:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 10 06:04:24 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	469277	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	462946	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	197892	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	110374	17.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.88%
7) Chloroethane-d5	2.89	69	103655	18.42	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.68%
10) 1,1-Dichloroethene-d2	4.01	63	209237	15.84	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	63.36%
20) 2-Butanone-d5	7.07	46	104331	52.33	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	104.66%
24) Chloroform-d	7.64	84	308838	24.12	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.48%
26) 1,2-Dichloroethane-d4	8.31	65	198236	25.22	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.88%
29) Benzene-d6	8.27	84	551340	22.69	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.76%
33) 1,2-Dichloropropane-d6	9.27	67	179117	23.86	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.44%
37) Toluene-d8	10.32	98	481055	21.41	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.64%
38) trans-1,3-Dichloropropene-	10.58	79	72491	20.25	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.00%
39) 2-Hexanone-d5	10.93	63	66744	47.18	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	94.36%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	168286	24.11	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.44%
61) 1,2-Dichlorobenzene-d4	13.86	152	183643	26.45	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.80%

Target Compounds


					Qvalue
13) Acetone	4.11	43	1413	0.661 ug/L	96
22) cis-1,2-Dichloroethene	7.17	96	34718	5.008 ug/L	97
35) Trichloroethene	9.09	95	9835	1.349 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW040819\
Data File : VW009862.D
Acq On : 10 Apr 2019 05:06
Operator : SY/VA
Sample : K2327-15
Misc : 6.79G/10ML/MSVOA_W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BF116

Quant Time: Apr 10 06:07:25 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 10 06:04:24 2019
Response via : Initial Calibration





#13

Acetone

Concen: 0.661 ug/L

RT: 4.11 min Scan# 362

Delta R.T. -0.01 min

Lab File: VW009862.D

Acq: 10 Apr 2019 05:06

Instrument :

MSVOA_W

ClientSampled :





BF116

Tgt Ion: 43 Resp: 1413

Ion Ratio Lower Upper

43 100

58 24.4 0.0 53.0



#22

cis-1,2-Dichloroethene

Concen: 5.008 ug/L

RT: 7.17 min Scan# 863

Delta R.T. 0.01 min

Lab File: VW009862.D

Acq: 10 Apr 2019 05:06




Tgt Ion: 96 Resp: 34718


Ion Ratio Lower Upper

96 100

61 134.5 96.8 179.8

98 63.6 43.5 80.9






#35
 Trichloroethene
 Concen: 1.349 ug/L
 RT: 9.09 min Scan# 1178
 Delta R.T. 0.00 min
 Lab File: VW009862.D
 Acq: 10 Apr 2019 05:06

Instrument :
 MSVOA_W
 ClientSampleId :
 BF116

Tgt Ion:	95	Resp:	9835
Ion	Ratio	Lower	Upper
95	100		
97	60.5	44.9	83.5
132	94.0	67.1	124.7
130	96.0	69.2	128.6



Abundance Ion 95.00 (94.70 to 95.70): VW
 Ion 97.00 (96.70 to 97.70): VW
 Ion 132.00 (131.70 to 132.70): V
 Ion 130.00 (129.70 to 130.70): V

