

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW040819\
 Data File : VW009816.D
 Acq On : 08 Apr 2019 22:39
 Operator : SY/VA
 Sample : K2217-05
 Misc : 5.54G/10ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF616

Manual Integrations
 APPROVED

MMDadoda
 4/11/2019 2:02:55 PM

Quant Time: Apr 09 05:48:21 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 09 02:37:30 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	463034	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	451267	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	202930	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	121438	20.04	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.16%
7) Chloroethane-d5	2.89	69	110454	19.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.60%
10) 1,1-Dichloroethene-d2	4.01	63	209047	16.04	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.16%
20) 2-Butanone-d5	7.08	46	101809	51.75	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.50%
24) Chloroform-d	7.64	84	308812	24.44	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.76%
26) 1,2-Dichloroethane-d4	8.30	65	203686m	26.26	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	105.04%
29) Benzene-d6	8.27	84	570168	24.07	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.28%
33) 1,2-Dichloropropane-d6	9.27	67	182657	24.96	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	99.84%
37) Toluene-d8	10.32	98	505490	23.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.32%
38) trans-1,3-Dichloropropene-	10.57	79	75824	21.73	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.92%
39) 2-Hexanone-d5	10.93	63	63824	46.28	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.56%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	164278	24.15	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.60%
61) 1,2-Dichlorobenzene-d4	13.85	152	186314	26.16	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	104.64%

Target Compounds					Ovalue
13) Acetone	4.13	43	4478	2.124 ug/L	70

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW040819\
Data File : VW009816.D
Acq On : 08 Apr 2019 22:39
Operator : SY/VA
Sample : K2217-05
Misc : 5.54G/10ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleID :
BF616

Manual Integrations
APPROVED

MMDadoda
4/11/2019 2:02:55 PM

Quant Time: Apr 09 05:48:21 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 09 02:37:30 2019
Response via : Initial Calibration

