

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW040819\
 Data File : VW009838.D
 Acq On : 09 Apr 2019 13:45
 Operator : SY/VA
 Sample : K2255-05RE
 Misc : 2.81G/10ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFC47RE

Quant Time: Apr 21 02:59:26 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 10 00:56:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	391391	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	325846	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	100543	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	105859	20.67	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.68%
7) Chloroethane-d5	2.89	69	106424	22.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.72%
10) 1,1-Dichloroethene-d2	4.01	63	196543	17.84	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	71.36%
20) 2-Butanone-d5	7.08	46	81485	49.00	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.00%
24) Chloroform-d	7.64	84	291742	27.32	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	109.28%
26) 1,2-Dichloroethane-d4	8.30	65	198493	30.27	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	121.08%
29) Benzene-d6	8.27	84	511098	29.88	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	119.52%
33) 1,2-Dichloropropane-d6	9.27	67	170662	32.30	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	129.20%#
37) Toluene-d8	10.32	98	416775	26.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	105.40%
38) trans-1,3-Dichloropropene-	10.57	79	58002	23.02	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.08%
39) 2-Hexanone-d5	10.93	63	34457	34.60	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	69.20%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	144126	29.34	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	117.36%
61) 1,2-Dichlorobenzene-d4	13.85	152	86052	24.39	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.56%

Target Compounds					Ovalue
13) Acetone	4.12	43	8107	4.550 ug/L	87
16) Methylene chloride	4.92	84	42353	6.136 ug/L	96
44) Toluene	10.39	91	18575	0.894 ug/L	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW040819\
Data File : VW009838.D
Acq On : 09 Apr 2019 13:45
Operator : SY/VA
Sample : K2255-05RE
Misc : 2.81G/10ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFC47RE

Quant Time: Apr 21 02:59:26 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 10 00:56:07 2019
Response via : Initial Calibration

