

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040819\
 Data File : VW009873.D
 Acq On : 10 Apr 2019 10:06
 Operator : SY/VA
 Sample : K2259-05RE
 Misc : 5.21G/10ML/MSVOA_W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ETJ44RE

Manual Integrations
 APPROVED

MMDadoda
 4/11/2019 2:07:41 PM

Quant Time: Apr 15 05:06:29 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 10 08:15:04 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	466546	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	349123	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	84283	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	130775	21.42	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.68%
7) Chloroethane-d5	2.89	69	122945	21.98	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.92%
10) 1,1-Dichloroethene-d2	4.01	63	239808	18.26	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	73.04%
20) 2-Butanone-d5	7.08	46	87398	44.09	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.18%
24) Chloroform-d	7.65	84	333889	26.23	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	104.92%
26) 1,2-Dichloroethane-d4	8.31	65	195866	25.06	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.24%
29) Benzene-d6	8.27	84	589220	32.15	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	128.60%
33) 1,2-Dichloropropane-d6	9.27	67	191702	33.87	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	135.48%#
37) Toluene-d8	10.32	98	464527	27.41	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	109.64%
38) trans-1,3-Dichloropropene-	10.58	79	57319	21.23	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.92%
39) 2-Hexanone-d5	10.93	63	48716	45.66	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.32%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	132028	25.09	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.36%
61) 1,2-Dichlorobenzene-d4	13.86	152	90672	30.66	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	122.64%#

Target Compounds					Qvalue
16) Methylene chloride	4.90	84	35613m	4.328 ug/L	
44) Toluene	10.39	91	10624	0.477 ug/L	99
54) m,p-Xylene	11.83	106	3627	0.387 ug/L	82

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040819\
Data File : VW009873.D
Acq On : 10 Apr 2019 10:06
Operator : SY/VA
Sample : K2259-05RE
Misc : 5.21G/10ML/MSVOA_W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
ETJ44RE

Manual Integrations
APPROVED

MMDadoda
4/11/2019 2:07:41 PM

Quant Time: Apr 15 05:06:29 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 10 08:15:04 2019
Response via : Initial Calibration

