

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040821\
 Data File : VW018607.D
 Acq On : 08 Apr 2021 17:07
 Operator : SY/VA
 Sample : M1968-14
 Misc : 5.21G/10ML/MSVOA_W/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Apr 09 03:14:01 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 09 03:11:49 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	588973	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	544368	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.560	152	267246	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	131776	16.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	64.32%
7) Chloroethane-d5	2.891	69	111182	15.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	62.00%
10) 1,1-Dichloroethene-d2	4.019	63	158910	11.23	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	44.92%#
20) 2-Butanone-d5	7.080	46	54149	29.68	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	59.36%
24) Chloroform-d	7.646	84	238017	15.87	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	63.48%
26) 1,2-Dichloroethane-d4	8.305	65	141854	16.20	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	64.80%#
29) Benzene-d6	8.274	84	470293	16.25	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	65.00%
33) 1,2-Dichloropropane-d6	9.274	67	136317	16.33	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	65.32%#
37) Toluene-d8	10.323	98	455167	16.33	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	65.32%
38) trans-1,3-Dichloroprop...	10.579	79	57548	13.37	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	53.48%
39) 2-Hexanone-d5	10.926	63	44020	26.95	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	53.90%
48) 1,1,2,2-Tetrachloroeth...	12.694	84	114620	15.35	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	61.40%
61) 1,2-Dichlorobenzene-d4	13.853	152	145960	15.36	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	61.44%#
Target Compounds						
13) Acetone	4.141	43	6603	5.04	ug/L	Qvalue 67
16) Methylene chloride	4.915	84	29571m	3.06	ug/L	
44) Toluene	10.390	91	9051	0.25	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW040821\
Data File : VW018607.D
Acq On : 08 Apr 2021 17:07
Operator : SY/VA
Sample : M1968-14
Misc : 5.21G/10ML/MSVOA_W/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Apr 09 03:14:01 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SOM2WLM031921S.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 09 03:11:49 2021
Response via : Initial Calibration

