

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW041019\
 Data File : VW009894.D
 Acq On : 10 Apr 2019 22:00
 Operator : SY/VA
 Sample : K2340-19
 Misc : 5.49G/10ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BF2T1

Manual Integrations
 APPROVED

MMDadoda
 4/15/2019 12:33:19 AM

Quant Time: Apr 11 05:59:35 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 11 03:44:42 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	434470	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	429364	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	186352	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	116768	20.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.16%
7) Chloroethane-d5	2.89	69	109327	20.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	83.96%
10) 1,1-Dichloroethene-d2	4.02	63	235046	19.22	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	76.88%
20) 2-Butanone-d5	7.07	46	139811	75.74	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	151.48%#
24) Chloroform-d	7.65	84	335075	28.26	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	113.04%
26) 1,2-Dichloroethane-d4	8.31	65	220492	30.29	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	121.16%
29) Benzene-d6	8.27	84	596218	26.45	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	105.80%
33) 1,2-Dichloropropane-d6	9.27	67	195141	28.03	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	112.12%
37) Toluene-d8	10.32	98	515861	24.75	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.00%
38) trans-1,3-Dichloropropene-	10.58	79	83480	25.14	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	100.56%
39) 2-Hexanone-d5	10.93	63	100270	76.41	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	152.82%#
48) 1,1,2,2-Tetrachloroethane-	12.69	84	202964	31.36	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	125.44%#
61) 1,2-Dichlorobenzene-d4	13.86	152	199862	30.56	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	122.24%#

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
12) 1,1-Dichloroethene	4.04	96	18589	3.221	ug/L #	1
13) Acetone	4.12	43	8355	4.224	ug/L	91
15) Methyl Acetate	4.67	43	4339	1.203	ug/L #	64
16) Methylene chloride	4.93	84	14729m	1.922	ug/L	
47) Tetrachloroethene	10.86	164	1253705	235.458	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW041019\
Data File : VW009894.D
Acq On : 10 Apr 2019 22:00
Operator : SY/VA
Sample : K2340-19
Misc : 5.49G/10ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BF2T1

Manual Integrations
APPROVED

MMDadoda
4/15/2019 12:33:19 AM

Quant Time: Apr 11 05:59:35 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 11 03:44:42 2019
Response via : Initial Calibration





#12

1,1-Dichloroethene

Concen: 3.221 ug/L

RT: 4.04 min Scan# 351

Delta R.T. 0.01 min

Lab File: VW009894.D

Acq: 10 Apr 2019 22:00

Instrument :

MSVOA_W





ClientSampleId :

BF2T1

Tot Ion	Ratio	Lower	Upper
96	100		
61	230.1	138.8	257.8
63	671.3	114.6	212.8

Manual Integrations
APPROVED

MMDadoda
4/15/2019 12:33:19 AM



#13

Acetone

Concen: 4.224 ug/L




RT: 4.12 min Scan# 363


Delta R.T. -0.01 min

Lab File: VW009894.D

Acq: 10 Apr 2019 22:00

Tgt Ion	Ratio	Lower	Upper
43	100		
58	22.0	0.0	53.0









#15
Methvl Acetate
Concen: 1.203 ug/L
RT: 4.67 min Scan# 454
Delta R.T. 0.01 min
Lab File: VW009894.D
Acq: 10 Apr 2019 22:00

Instrument :
MSVOA_W
ClientSampleId :
BF2T1

Tot Ion	43	Resp	4339
Ion Ratio	Lower	Upper	
43	100		
74	4.4	17.2	25.8#




Manual Integrations
APPROVED


MMDadoda
4/15/2019 12:33:19 AM



#16
Methylene chloride
Concen: 1.922 ug/L m
RT: 4.93 min Scan# 496
Delta R.T. 0.01 min
Lab File: VW009894.D
Acq: 10 Apr 2019 22:00

Tgt Ion	84	Resp	14729
Ion Ratio	Lower	Upper	
84	100		
49	109.7	98.3	182.5
86	52.6	46.4	86.2






#47
Tetrachloroethene
Concen: 235.458 ug/L
RT: 10.86 min Scan# 1469
Delta R.T. 0.00 min
Lab File: VW009894.D
Acq: 10 Apr 2019 22:00

Instrument :
MSVOA_W
ClientSampleId :
BF2T1

Tot Ion	Ratio	Lower	Upper
164	100		
129	97.8	68.9	127.9
131	92.9	63.1	117.1
166	126.6	88.5	164.4

Manual Integrations
APPROVED

MMDadoda
4/15/2019 12:33:19 AM



Abundance Ion 164.00 (163.70 to 164.70): V
Ion 129.00 (128.70 to 129.70): V
Ion 131.00 (130.70 to 131.70): V
Ion 166.00 (165.70 to 166.70): V

