

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041024\
 Data File : VW028383.D
 Acq On : 10 Apr 2024 16:18
 Operator : SY/MD
 Sample : P2054-03
 Misc : 4.56g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BH2L9

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 04/11/2024
 Supervised By :Mahesh Dadoda 04/13/2024

Quant Time: Apr 11 05:57:08 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Apr 11 05:54:50 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	256833	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	239955	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	114047	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	93303	22.660	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	90.640%		
7) Chloroethane-d5	2.899	69	72240	23.148	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	92.600%		
11) 1,1-Dichloroethene-d2	4.021	65	38686	22.187	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	88.760%		
21) 2-Butanone-d5	7.081	46	41881	54.357	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	108.720%		
24) Chloroform-d	7.648	84	157127m	23.445	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	93.800%		
26) 1,2-Dichloroethane-d4	8.307	65	93166m	26.750	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	107.000%		
32) Benzene-d6	8.276	84	314901	24.022	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	96.080%		
36) 1,2-Dichloropropane-d6	9.270	67	95982	24.633	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	98.520%		
41) Toluene-d8	10.325	98	282871	23.731	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	94.920%		
43) trans-1,3-Dichloroprop...	10.575	79	38654	24.949	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	99.800%		
47) 2-Hexanone-d5	10.922	63	28754	53.275	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	106.540%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	73792	26.842	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	107.360%		
66) 1,2-Dichlorobenzene-d4	13.848	152	91732	25.433	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	101.720%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041024\
Data File : VW028383.D
Acq On : 10 Apr 2024 16:18
Operator : SY/MD
Sample : P2054-03
Misc : 4.56g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BH2L9

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 04/11/2024
Supervised By :Mahesh Dadoda 04/13/2024

Quant Time: Apr 11 05:57:08 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Apr 11 05:54:50 2024
Response via : Initial Calibration

