

Data File : VW009931.D
Acq On : 12 Apr 2019 00:17
Operator : SY/VA
Sample : K2278-19
Misc : 5.52G/10ML/MSVOA_W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DB6Z1

Quant Time: Apr 12 04:40:40 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 12 04:36:14 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	530815	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	520441	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	219417	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	110805	15.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	63.80%
7) Chloroethane-d5	2.89	69	108192	17.00	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	68.00%
10) 1,1-Dichloroethene-d2	4.01	63	214327	14.35	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	57.40%
20) 2-Butanone-d5	7.07	46	97005	43.01	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.02%
24) Chloroform-d	7.65	84	350045	24.17	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.68%
26) 1,2-Dichloroethane-d4	8.30	65	212472	23.89	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.56%
29) Benzene-d6	8.27	84	608111	22.26	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	89.04%
33) 1,2-Dichloropropane-d6	9.27	67	205986	24.41	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.64%
37) Toluene-d8	10.32	98	528692	20.93	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	83.72%
38) trans-1,3-Dichloropropene-	10.58	79	76444	18.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	75.96%
39) 2-Hexanone-d5	10.93	63	60010	37.73	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	75.46%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	165848	21.14	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	84.56%
61) 1,2-Dichlorobenzene-d4	13.86	152	197359	25.63	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	102.52%


Target Compounds						Qvalue
13) Acetone	4.12	43	18328	7.585	ug/L	92
16) Methylene chloride	4.92	84	23585	2.519	ug/L	94
59) 1,2,3-Trichloropropane	13.56	75	30081	4.995	ug/L	88


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VW009931.D
Acq On : 12 Apr 2019 00:17
Operator : SY/VA
Sample : K2278-19
Misc : 5.52G/10ML/MSVOA_W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DB6Z1

Quant Time: Apr 12 04:40:40 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 12 04:36:14 2019
Response via : Initial Calibration









#13
Acetone
Concen: 7.585 ug/L
RT: 4.12 min Scan# 363
Delta R.T. -0.00 min
Lab File: VW009931.D
Acq: 12 Apr 2019 00:17




Instrument :
MSVOA_W
ClientSampled :
DB6Z1


Tgt Ion: 43 Resp: 18328
Ion Ratio Lower Upper
43 100
58 22.3 0.0 53.0



#16
Methylene chloride
Concen: 2.519 ug/L
RT: 4.92 min Scan# 494
Delta R.T. 0.01 min
Lab File: VW009931.D
Acq: 12 Apr 2019 00:17

Tgt Ion: 84 Resp: 23585
Ion Ratio Lower Upper
84 100
49 131.9 98.3 182.5
86 69.4 46.4 86.2





#59

1,2,3-Trichloropropane

Concen: 4.995 ug/L

RT: 13.56 min Scan# 1912

Delta R.T. 0.79 min

Lab File: VW009931.D

Acq: 12 Apr 2019 00:17

Instrument :

MSVOA_W

ClientSampleId :

DB6Z1

Tgt Ion: 75 Resp: 30081

Ion Ratio Lower Upper

75 100

77 39.2 26.2 39.2

