

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW041119\
 Data File : VW009951.D
 Acq On : 12 Apr 2019 11:27
 Operator : SY/VA
 Sample : K2255-23
 Misc : 6.36G/10ML/MSVOA W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFC50

Quant Time: Apr 13 00:18:52 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 12 23:54:39 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	156115	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	151146	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	53992	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	40848	20.00	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.00%
7) Chloroethane-d5	2.89	69	39726	21.23	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.92%
10) 1,1-Dichloroethene-d2	4.00	63	70651	16.08	ug/L	-0.02
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.32%
20) 2-Butanone-d5	7.09	46	23202	34.98	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	69.96%
24) Chloroform-d	7.65	84	111072	26.07	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	104.28%
26) 1,2-Dichloroethane-d4	8.30	65	71295	27.26	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	109.04%
29) Benzene-d6	8.27	84	191428	24.13	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.52%
33) 1,2-Dichloropropane-d6	9.27	67	65534	26.74	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	106.96%
37) Toluene-d8	10.32	98	147437	20.10	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.40%
38) trans-1,3-Dichloropropene-	10.58	79	23545	20.14	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.56%
39) 2-Hexanone-d5	10.93	63	16690	36.13	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	72.26%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	55139	24.20	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.80%
61) 1,2-Dichlorobenzene-d4	13.85	152	49943	26.36	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	105.44%


Target Compounds					Ovalue
16) Methylene chloride	4.91	84	8695	3.158 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW041119\
Data File : VW009951.D
Acq On : 12 Apr 2019 11:27
Operator : SY/VA
Sample : K2255-23
Misc : 6.36G/10ML/MSVOA W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFC50

Quant Time: Apr 13 00:18:52 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM040319S.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 12 23:54:39 2019
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 3.158 ug/L
 RT: 4.91 min Scan# 493
 Delta R.T. -0.01 min
 Lab File: VW009951.D
 Acq: 12 Apr 2019 11:27

Instrument :
 MSVOA_W
 ClientSampleId :
 BFC50

Tot Ion: 84 Resp: 8695
 Ion Ratio Lower Upper
 84 100
 49 148.7 98.3 182.5
 86 62.6 46.4 86.2

