

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041221\
 Data File : VW018625.D
 Acq On : 12 Apr 2021 16:10
 Operator : SY/VA
 Sample : M2011-10
 Misc : 5.68G/10ML/MSVOA_W/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG790

Manual Integrations
 APPROVED

MMDadoda
 4/19/2021 11:48:04 AM

Quant Time: Apr 17 04:28:06 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM033121SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Apr 17 04:26:19 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	345382	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	325816	25.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	161668	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	107171	19.30	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	77.20%		
7) Chloroethane-d5	2.885	69	86200	19.41	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	77.64%		
11) 1,1-Dichloroethene-d2	4.019	63	129969	15.05	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	60.20%		
21) 2-Butanone-d5	7.080	46	61419	53.07	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	106.14%		
24) Chloroform-d	7.653	84	196562	21.66	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	86.64%		
26) 1,2-Dichloroethane-d4	8.305	65	126322m	23.16	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	92.64%		
32) Benzene-d6	8.275	84	380496	22.27	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	89.08%		
36) 1,2-Dichloropropane-d6	9.274	67	115039	23.11	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	92.44%		
41) Toluene-d8	10.323	98	362868	21.63	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	86.52%		
43) trans-1,3-Dichloroprop...	10.579	79	49220	19.86	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	79.44%		
47) 2-Hexanone-d5	10.927	63	47606	48.85	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	97.70%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	111945	23.52	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	94.08%		
66) 1,2-Dichlorobenzene-d4	13.853	152	123188	22.52	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	90.08%		
Target Compounds					Qvalue	
13) Acetone	4.129	43	6096	7.47	ug/L	97
16) Methylene chloride	4.915	84	10126	1.96	ug/L	98
42) Toluene	10.390	91	7449	0.34	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041221\
Data File : VW018625.D
Acq On : 12 Apr 2021 16:10
Operator : SY/VA
Sample : M2011-10
Misc : 5.68G/10ML/MSVOA_W/SOIL
ALS Vial : 10 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
BG790

Manual Integrations
APPROVED


MMDadoda
4/19/2021 11:48:04 AM

Quant Time: Apr 17 04:28:06 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM033121SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Apr 17 04:26:19 2021
Response via : Initial Calibration









#13
Acetone
Concen: 7.47 ug/L
RT: 4.129 min Scan# 365
Delta R.T. 0.006 min
Lab File: VW018625.D
Acq: 12 Apr 2021 16:10





Tgt Ion: 43 Resp: 6096
Ion Ratio Lower Upper
43 100
58 25.3 0.0 53.8



#16
Methylene chloride
Concen: 1.96 ug/L
RT: 4.915 min Scan# 494
Delta R.T. -0.000 min
Lab File: VW018625.D
Acq: 12 Apr 2021 16:10




Tgt Ion: 84 Resp: 10126
Ion Ratio Lower Upper
84 100
86 63.1 45.3 84.1
49 121.4 86.6 160.8



Instrument :
MSVOA_W
ClientSampled :
BG790


Manual Integrations
APPROVED

MMDadoda
4/19/2021 11:48:04 AM



#42
Toluene
Concen: 0.34 ug/L
RT: 10.390 min Scan# 1392
Delta R.T. -0.000 min
Lab File: VW018625.D
Acq: 12 Apr 2021 16:10

Instrument :
MSVOA_W
ClientSampled :
BG790



Tgt Ion: 91 Resp: 7449
Ion Ratio Lower Upper
91 100
92 55.0 39.5 73.3

Manual Integrations
APPROVED

MMDadoda
4/19/2021 11:48:04 AM

