




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041222\
 Data File : VW022516.D
 Acq On : 12 Apr 2022 18:47
 Operator : SY/VA
 Sample : N2374-02
 Misc : 4.96g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFFD5

Manual IntegrationsAPPROVED

Quant Time: Apr 12 23:35:09 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Apr 12 23:30:19 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/13/2022
 Supervised By :Mahesh Dadoda 04/14/2022



TIC: VW022516.D\data.ms

(13) Acetone (T)

4.251min (+ 0.128) 0.27 ug/L

response 259

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	28.50	34.36
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041222\
Data File : VW022516.D
Acq On : 12 Apr 2022 18:47
Operator : SY/VA
Sample : N2374-02
Misc : 4.96g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFFD5

Manual IntegrationsAPPROVED

Quant Time: Apr 12 23:35:09 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Apr 12 23:30:19 2022
Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/13/2022
Supervised By :Mahesh Dadoda 04/14/2022



TIC: VW022516.D\data.ms

(13) Acetone (T)

4.129min (+ 0.006) 12.61 ug/L m

response 11933

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	28.50	0.75
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041222\
 Data File : VW022516.D
 Acq On : 12 Apr 2022 18:47
 Operator : SY/VA
 Sample : N2374-02
 Misc : 4.96g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFFD5

Manual IntegrationsAPPROVED

Quant Time: Apr 12 23:35:09 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Apr 12 23:30:19 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/13/2022
 Supervised By :Mahesh Dadoda 04/14/2022



TIC: VW022516.D\data.ms

(22) 2-Butanone (T)

7.062min (-0.104) 0.20 ug/L

response 285

Ion	Exp%	Act%
43.00	100.00	100.00
72.00	28.00	17.54
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041222\
 Data File : VW022516.D
 Acq On : 12 Apr 2022 18:47
 Operator : SY/VA
 Sample : N2374-02
 Misc : 4.96g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFFD5

Manual IntegrationsAPPROVED

Quant Time: Apr 12 23:35:09 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Apr 12 23:30:19 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/13/2022
 Supervised By :Mahesh Dadoda 04/14/2022



TIC: VW022516.D\data.ms

(22) 2-Butanone (T)

7.171min (+ 0.006) 4.60 ug/L m

response 6575

Ion	Exp%	Act%
43.00	100.00	100.00
72.00	28.00	0.76#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041222\
 Data File : VW022516.D
 Acq On : 12 Apr 2022 18:47
 Operator : SY/VA
 Sample : N2374-02
 Misc : 4.96g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BFFD5

Manual IntegrationsAPPROVED

Quant Time: Apr 12 23:35:09 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Apr 12 23:30:19 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/13/2022
 Supervised By :Mahesh Dadoda 04/14/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	360077	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	296416	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	115662	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	137803	17.311	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	69.240%	
7) Chloroethane-d5	2.885	69	99105	19.865	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	79.480%	
11) 1,1-Dichloroethene-d2	4.019	63	142958	13.846	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	55.400%	
21) 2-Butanone-d5	7.080	46	92217	66.355	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	132.720%	
24) Chloroform-d	7.647	84	264262	23.480	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	93.920%	
26) 1,2-Dichloroethane-d4	8.305	65	157261	24.455	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	97.840%	
32) Benzene-d6	8.275	84	476415	26.307	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	105.240%	
36) 1,2-Dichloropropane-d6	9.275	67	147313	28.109	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	112.440%	
41) Toluene-d8	10.323	98	408344	23.023	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	92.080%	
43) trans-1,3-Dichloroprop...	10.579	79	58930	23.826	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	95.320%	
47) 2-Hexanone-d5	10.921	63	76289	78.240	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	156.480%#	
56) 1,1,2,2-Tetrachloroeth...	12.689	84	129745	29.116	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	116.480%	
66) 1,2-Dichlorobenzene-d4	13.847	152	102502	25.020	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	100.080%	
Target Compounds						
13) Acetone	4.129	43	11933m	12.611	ug/L	Qvalue
22) 2-Butanone	7.171	43	6575m	4.601	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041222\
Data File : VW022516.D
Acq On : 12 Apr 2022 18:47
Operator : SY/VA
Sample : N2374-02
Misc : 4.96g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BFFD5

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/13/2022
Supervised By :Mahesh Dadoda 04/14/2022

Quant Time: Apr 12 23:35:09 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040722SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Apr 12 23:30:19 2022
Response via : Initial Calibration

