

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041524\
 Data File : VW028438.D
 Acq On : 15 Apr 2024 11:07
 Operator : SY/MD
 Sample : P2037-12
 Misc : 5.03g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Quant Time: Apr 15 22:32:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Apr 15 22:30:57 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	334270	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	300076	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	146372	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	103229	19.263	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.040%
7) Chloroethane-d5	2.905	69	81673	20.108	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.440%
11) 1,1-Dichloroethene-d2	4.027	65	46294	20.400	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	81.600%
21) 2-Butanone-d5	7.081	46	50573	50.432	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.860%
24) Chloroform-d	7.648	84	195174	22.376	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.520%
26) 1,2-Dichloroethane-d4	8.307	65	111868	24.679	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.720%
32) Benzene-d6	8.276	84	379964	23.178	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.720%
36) 1,2-Dichloropropane-d6	9.270	67	115380	23.679	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.720%
41) Toluene-d8	10.325	98	344343	23.100	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.400%
43) trans-1,3-Dichloroprop...	10.575	79	45265	23.362	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	93.440%
47) 2-Hexanone-d5	10.922	63	34116	50.545	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.100%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	86291	25.100	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	100.400%
66) 1,2-Dichlorobenzene-d4	13.849	152	113255	24.466	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.880%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041524\
Data File : VW028438.D
Acq On : 15 Apr 2024 11:07
Operator : SY/MD
Sample : P2037-12
Misc : 5.03g/10mL/MSVOA_W/SOIL/B
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001

Quant Time: Apr 15 22:32:33 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Apr 15 22:30:57 2024
Response via : Initial Calibration

