

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_W\DATA\VW041619\
 Data File : VW010002.D
 Acq On : 16 Apr 2019 17:53
 Operator : SY/VA
 Sample : K2354-02
 Misc : 5.10G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK01

Quant Time: Apr 17 00:46:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM041519S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 17 00:43:03 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	627515	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	605126	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	271847	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	166449	28.07	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	112.28%
7) Chloroethane-d5	2.89	69	143961	23.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.88%
10) 1,1-Dichloroethene-d2	4.01	63	324653	19.74	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	78.96%
20) 2-Butanone-d5	7.07	46	139670	43.54	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.08%
24) Chloroform-d	7.65	84	419449	23.12	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.48%
26) 1,2-Dichloroethane-d4	8.31	65	268242	23.83	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.32%
29) Benzene-d6	8.27	84	806530	24.25	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	97.00%
33) 1,2-Dichloropropane-d6	9.27	67	253110	23.89	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.56%
37) Toluene-d8	10.32	98	744470	24.54	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	98.16%
38) trans-1,3-Dichloropropene-	10.58	79	114357	22.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.08%
39) 2-Hexanone-d5	10.93	63	102589	43.71	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	87.42%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	218244	22.03	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.12%
61) 1,2-Dichlorobenzene-d4	13.86	152	259613	25.40	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.60%


Target Compounds					Qvalue
16) Methylene chloride	4.92	84	60697	5.342 ug/L	91
42) cis-1,3-Dichloropropene	10.04	75	8724	0.600 ug/L #	73


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_W\DATA\VW041619\
Data File : VW010002.D
Acq On : 16 Apr 2019 17:53
Operator : SY/VA
Sample : K2354-02
Misc : 5.10G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK01

Quant Time: Apr 17 00:46:11 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM041519S.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 17 00:43:03 2019
Response via : Initial Calibration









#16
Methylene chloride
Concen: 5.342 ug/L
RT: 4.92 min Scan# 494
Delta R.T. -0.00 min
Lab File: VW010002.D
Acq: 16 Apr 2019 17:53

Instrument :
MSVOA_W
ClientSampled :
VHBLK01

Tgt Ion: 84 Resp: 60697
Ion Ratio Lower Upper
84 100
49 133.7 100.7 187.1
86 54.8 43.8 81.3



#42
cis-1,3-Dichloropropene
Concen: 0.600 ug/L
RT: 10.04 min Scan# 1334
Delta R.T. -0.04 min
Lab File: VW010002.D
Acq: 16 Apr 2019 17:53

Tgt Ion: 75 Resp: 8724
Ion Ratio Lower Upper
75 100
77 46.1 21.8 40.4#

