

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041823\
 Data File : VW025574.D
 Acq On : 18 Apr 2023 15:17
 Operator : SY/MD
 Sample : 02396-03
 Misc : 5.68g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C11D0

Quant Time: Apr 19 04:11:41 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 19 04:10:43 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	630061	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	558296	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	228133	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	158863	15.495	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	61.960%
7) Chloroethane-d5	2.893	69	138022	18.908	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	75.640%
11) 1,1-Dichloroethene-d2	4.015	63	287060	13.845	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.360%
21) 2-Butanone-d5	7.075	46	145634	63.671	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	127.340%
24) Chloroform-d	7.648	84	408642	23.099	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.400%
26) 1,2-Dichloroethane-d4	8.051	65	163	0.018	ug/L	-0.25
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.080%#
32) Benzene-d6	8.276	84	803853	22.236	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.960%
36) 1,2-Dichloropropane-d6	9.276	67	274962	24.394	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.560%
41) Toluene-d8	10.325	98	679726	21.525	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	86.120%
43) trans-1,3-Dichloroprop...	10.575	79	101195	23.946	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	95.800%
47) 2-Hexanone-d5	10.922	63	88864	57.678	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	115.360%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	221612	29.129	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	116.520%
66) 1,2-Dichlorobenzene-d4	13.848	152	207956	26.534	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	106.120%
Target Compounds					Qvalue	
13) Acetone	4.125	43	28104	14.518	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041823\
Data File : VW025574.D
Acq On : 18 Apr 2023 15:17
Operator : SY/MD
Sample : 02396-03
Misc : 5.68g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C11D0

Quant Time: Apr 19 04:11:41 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Apr 19 04:10:43 2023
Response via : Initial Calibration





#13
 Acetone
 Concen: 14.518 ug/L
 RT: 4.125 min Scan# 30
 Delta R.T. 0.006 min
 Lab File: VW025574.D
 Acq: 18 Apr 2023 15:17

Instrument :
 MSVOA_W
 ClientSampleId :
 C11D0

Tgt Ion: 43 Resp: 28104
 Ion Ratio Lower Upper
 43 100
 58 29.1 0.0 57.4

