

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041924\
 Data File : VW028492.D
 Acq On : 19 Apr 2024 13:28
 Operator : SY/MD
 Sample : P2164-10
 Misc : 5.10g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0SB1

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 04/22/2024
 Supervised By :Mahesh Dadoda 04/22/2024

Quant Time: Apr 19 21:47:09 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 19 21:45:04 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	448262	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	373349	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	138312	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	155381	21.622	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	86.480%		
7) Chloroethane-d5	2.899	69	129484	23.773	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	95.080%		
11) 1,1-Dichloroethene-d2	4.021	65	66992	22.013	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	88.040%		
21) 2-Butanone-d5	7.081	46	78420	58.315	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	116.640%		
24) Chloroform-d	7.648	84	297846	25.463	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	101.840%		
26) 1,2-Dichloroethane-d4	8.307	65	173854m	28.600	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	114.400%		
32) Benzene-d6	8.276	84	581821	28.526	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	114.120%		
36) 1,2-Dichloropropane-d6	9.270	67	180486	29.771	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	119.080%		
41) Toluene-d8	10.319	98	500558	26.990	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	107.960%		
43) trans-1,3-Dichloroprop...	10.575	79	66332	27.517	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	110.080%		
47) 2-Hexanone-d5	10.922	63	54992	65.484	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	130.960%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	134884	31.534	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	126.120%#		
66) 1,2-Dichlorobenzene-d4	13.848	152	124005	28.350	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	113.400%		
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	18694	2.756	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041924\
Data File : VW028492.D
Acq On : 19 Apr 2024 13:28
Operator : SY/MD
Sample : P2164-10
Misc : 5.10g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0SB1

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 04/22/2024
Supervised By : Mahesh Dadoda 04/22/2024

Quant Time: Apr 19 21:47:09 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Apr 19 21:45:04 2024
Response via : Initial Calibration

