

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041924\
 Data File : VW028493.D
 Acq On : 19 Apr 2024 13:56
 Operator : SY/MD
 Sample : P2203-01
 Misc : 5.05g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E1CX1

Quant Time: Apr 19 21:47:25 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Apr 19 21:45:04 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	548554	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	479063	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	205981	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	179245	20.382	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.520%
7) Chloroethane-d5	2.899	69	145608	21.845	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.400%
11) 1,1-Dichloroethene-d2	4.021	65	79097	21.239	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	84.960%
21) 2-Butanone-d5	7.081	46	70203	42.660	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.320%
24) Chloroform-d	7.648	84	287236	20.067	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	80.280%
26) 1,2-Dichloroethane-d4	8.306	65	175147	23.545	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.200%
32) Benzene-d6	8.276	84	658738	25.171	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	100.680%
36) 1,2-Dichloropropane-d6	9.270	67	198940	25.574	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	102.280%
41) Toluene-d8	10.318	98	598467	25.148	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	100.600%
43) trans-1,3-Dichloroprop...	10.574	79	69122	22.347	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.400%
47) 2-Hexanone-d5	10.922	63	47716	44.282	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.560%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	87099	15.869	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	63.480%
66) 1,2-Dichlorobenzene-d4	13.848	152	175070	26.875	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	107.520%
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	28677	3.455	ug/L	95
25) Chloroform	7.679	83	44380	3.028	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW041924\
Data File : VW028493.D
Acq On : 19 Apr 2024 13:56
Operator : SY/MD
Sample : P2203-01
Misc : 5.05g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E1CX1

Quant Time: Apr 19 21:47:25 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Apr 19 21:45:04 2024
Response via : Initial Calibration

