

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042121\
 Data File : VW018704.D
 Acq On : 21 Apr 2021 11:58
 Operator : SY/VA
 Sample : M2065-07
 Misc : 5.66G/10ML/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG560

Manual Integrations
 APPROVED

MMDadoda
 4/27/2021 3:17:12 PM

Quant Time: Apr 22 01:21:35 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM041421SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Apr 22 01:20:40 2021
 Response via : Initial Calibration



(13) Acetone (T)

4.129min (-0.000) 4.32 ug/L

response 6974

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.90	41.50
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042121\
 Data File : VW018704.D
 Acq On : 21 Apr 2021 11:58
 Operator : SY/VA
 Sample : M2065-07
 Misc : 5.66G/10ML/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG560

Manual Integrations
 APPROVED

MMDadoda
 4/27/2021 3:17:12 PM

Quant Time: Apr 22 01:21:35 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM041421SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Apr 22 01:20:40 2021
 Response via : Initial Calibration



TIC: VW018704.D\data.ms

(13) Acetone (T)

4.147min (+ 0.018) 9.66 ug/L m

response 15583

Ion	Exp%	Act%
43.00	100.00	100.00
58.00	26.90	18.57
0.00	0.00	0.00
0.00	0.00	0.00

05/07/21 Sy

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042121\
 Data File : VW018704.D
 Acq On : 21 Apr 2021 11:58
 Operator : SY/VA
 Sample : M2065-07
 Misc : 5.66G/10ML/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampled :
 BG560

Manual Integrations
 APPROVED

MMDadoda
 4/27/2021 3:17:12 PM

Quant Time: Apr 22 01:21:35 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM041421SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Apr 22 01:20:40 2021
 Response via : Initial Calibration



(26) 1,2-Dichloroethane-d4 (S)

8.415min (+ 0.110) 0.02 ug/L

response 204

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.70	44.12
51.00	98.00	99.02
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042121\
 Data File : VW018704.D
 Acq On : 21 Apr 2021 11:58
 Operator : SY/VA
 Sample : M2065-07
 Misc : 5.66G/10ML/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG560

Manual Integrations
 APPROVED

MMDadoda
 4/27/2021 3:17:12 PM

Quant Time: Apr 22 01:21:35 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM041421SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Apr 22 01:20:40 2021
 Response via : Initial Calibration



TIC: VW018704.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.311min (+ 0.006) 17.56 ug/L m

response 174066

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	51.70	0.05#
51.00	98.00	0.12#
0.00	0.00	0.00

205/07/21 SY

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042121\
 Data File : VW018704.D
 Acq On : 21 Apr 2021 11:58
 Operator : SY/VA
 Sample : M2065-07
 Misc : 5.66G/10ML/MSVOA_W/SOIL
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 BG560

Manual Integrations
 APPROVED

MMDadoda
 4/27/2021 3:17:12 PM

Quant Time: Apr 22 01:21:35 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM041421SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Apr 22 01:20:40 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.848	114	642445	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	546388	25.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	262334	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.361	65	117306	12.02	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	48.08%		
7) Chloroethane-d5	2.897	69	105145	12.15	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	48.60%		
11) 1,1-Dichloroethene-d2	4.025	63	158366	9.34	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	37.36%#		
21) 2-Butanone-d5	7.086	46	81981	36.89	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	73.78%		
24) Chloroform-d	7.653	84	311992	17.70	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	70.80%		
26) 1,2-Dichloroethane-d4	8.311	65	174066m	17.56	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	70.24%		
32) Benzene-d6	8.281	84	544401	16.98	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	67.92%		
36) 1,2-Dichloropropane-d6	9.274	67	183942	19.04	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	76.16%		
41) Toluene-d8	10.329	98	448681	15.31	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	61.24%		
43) trans-1,3-Dichloroprop...	10.579	79	71859	17.47	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	69.88%		
47) 2-Hexanone-d5	10.926	63	69166	41.18	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	82.36%		
56) 1,1,2,2-Tetrachloroeth...	12.694	84	158527	19.65	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	78.60%		
66) 1,2-Dichlorobenzene-d4	13.859	152	189344	20.55	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	82.20%		
Target Compounds						
13) Acetone	4.147	43	15583m	9.66	ug/L	Qvalue
16) Methylene chloride	4.921	84	30755	2.92	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042121\
Data File : VW018704.D
Acq On : 21 Apr 2021 11:58
Operator : SY/VA
Sample : M2065-07
Misc : 5.66G/10ML/MSVOA_W/SOIL
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
BG560

Manual Integrations
APPROVED

MMDadoda
4/27/2021 3:17:12 PM

Quant Time: Apr 22 01:21:35 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM041421SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Apr 22 01:20:40 2021
Response via : Initial Calibration

