

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042123\
 Data File : VW025634.D
 Acq On : 21 Apr 2023 15:14
 Operator : SY/MD
 Sample : 02417-11
 Misc : 4.88g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW8X7

Quant Time: Apr 22 05:06:16 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Apr 22 05:02:40 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	660977	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	514657	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	161463	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	190482	17.709	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	70.840%	
7) Chloroethane-d5	2.893	69	179688	23.464	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	93.840%	
11) 1,1-Dichloroethene-d2	4.021	63	347681	15.984	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	63.920%	
21) 2-Butanone-d5	7.075	46	170928	71.234	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	142.460%#	
24) Chloroform-d	7.648	84	547262	29.488	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	117.960%	
26) 1,2-Dichloroethane-d4	8.307	65	305443	31.636	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	126.560%	
32) Benzene-d6	8.276	84	952413	28.580	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	114.320%	
36) 1,2-Dichloropropane-d6	9.270	67	364954	35.123	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	140.480%#	
41) Toluene-d8	10.325	98	752356	25.845	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	103.400%	
43) trans-1,3-Dichloroprop...	10.575	79	110035	28.246	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	113.000%	
47) 2-Hexanone-d5	10.922	63	103310	72.740	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	145.480%#	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	267781	38.182	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	152.720%#	
66) 1,2-Dichlorobenzene-d4	13.848	152	164085	29.581	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	118.320%	
Target Compounds						
					Qvalue	
13) Acetone	4.118	43	15514	7.639	ug/L	99
16) Methylene chloride	4.917	84	38669	3.681	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042123\
Data File : VW025634.D
Acq On : 21 Apr 2023 15:14
Operator : SY/MD
Sample : 02417-11
Misc : 4.88g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW8X7

Quant Time: Apr 22 05:06:16 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Apr 22 05:02:40 2023
Response via : Initial Calibration

