

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW042220\
 Data File : VW015315.D
 Acq On : 22 Apr 2020 18:11
 Operator : SY/VA
 Sample : L2397-01
 Misc : 5.49G/5ML/MSVOA W/SOIL
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 TP-1

Quant Time: Apr 23 07:38:30 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W042020S.M
 Quant Title : SW846 8260
 QLast Update : Tue Apr 21 06:39:58 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	196572	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	279672	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	245437	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	111219	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	8.31	65	84825	52.77	ug/l	0.00
Spiked Amount						
			Recovery	=	105.54%	
35) Dibromofluoromethane	7.88	113	82407	53.19	ug/l	0.00
Spiked Amount						
			Recovery	=	106.38%	
50) Toluene-d8	10.32	98	331147	50.81	ug/l	0.00
Spiked Amount						
			Recovery	=	101.62%	
62) 4-Bromofluorobenzene	12.62	95	108421	43.60	ug/l	0.00
Spiked Amount						
			Recovery	=	87.20%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW042220\
Data File : VW015315.D
Acq On : 22 Apr 2020 18:11
Operator : SY/VA
Sample : L2397-01
Misc : 5.49G/5ML/MSVOA W/SOIL
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
TP-1

Quant Time: Apr 23 07:38:30 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W042020S.M
Quant Title : SW846 8260
QLast Update : Tue Apr 21 06:39:58 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 992

Delta R.T. 0.00 min

Lab File: VW015315.D

Acq: 22 Apr 2020 18:11

Instrument :

MSVOA_W

ClientSampleId :


TP-1

Tot Ion:168 Resp: 196572

Ion Ratio Lower Upper

168 100

99 51.3 48.5 72.7



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW

7.95

80000



60000

40000

20000

0

Time--> 7.80 7.90 8.00 8.10



#33

1,2-Dichloroethane-d4

Concen: 52.770 ug/l

RT: 8.31 min Scan# 1050

Delta R.T. 0.00 min

Lab File: VW015315.D


Acq: 22 Apr 2020 18:11

Tgt Ion: 65 Resp: 84825

Ion Ratio Lower Upper

65 100

67 51.0 0.0 107.0



Abundance Ion 64.90 (64.60 to 65.60): VW

Ion 66.90 (66.60 to 67.60): VW

8.31

40000


30000


20000

10000

0

Time--> 8.20 8.30 8.40









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. 0.00 min
 Lab File: VW015315.D
 Acq: 22 Apr 2020 18:11

Instrument :
 MSVOA_W
 ClientSampleId :
 TP-1

Tot Ion:114 Resp: 279672
 Ion Ratio Lower Upper
 114 100
 63 18.1 0.0 39.8
 88 15.2 0.0 30.2




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VW
 Ion 87.90 (87.60 to 88.60): VW






#35
 Dibromofluoromethane
 Concen: 53.195 ug/l
 RT: 7.88 min Scan# 981
 Delta R.T. 0.00 min
 Lab File: VW015315.D
 Acq: 22 Apr 2020 18:11

Tgt Ion:113 Resp: 82407
 Ion Ratio Lower Upper
 113 100
 111 101.0 83.0 124.4
 192 23.2 15.1 22.7#



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 50.814 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. 0.00 min

Lab File: VW015315.D

Acq: 22 Apr 2020 18:11

Instrument :

MSVOA_W

ClientSampleId :


TP-1

Tot Ion: 98 Resp: 331147

Ion Ratio Lower Upper




98 100

100 65.6 52.9 79.3



Abundance Ion 98.00 (97.70 to 98.70): VW

Ion 100.00 (99.70 to 100.70): VW



#62

4-Bromofluorobenzene

Concen: 43.604 ug/l

RT: 12.62 min Scan# 1757

Delta R.T. 0.00 min

Lab File: VW015315.D

Acq: 22 Apr 2020 18:11


Tgt Ion: 95 Resp: 108421

Ion Ratio Lower Upper

95 100

174 90.1 0.0 144.4



176 88.8 0.0 140.6




Abundance Ion 94.90 (94.60 to 95.60): VW

Ion 173.80 (173.50 to 174.50): VW

Ion 175.80 (175.50 to 176.50): VW









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.63 min Scan# 1596
Delta R.T. 0.00 min
Lab File: VW015315.D
Acq: 22 Apr 2020 18:11

Instrument :
MSVOA_W
ClientSampleId :
TP-1

Tot Ion:117 Resp: 245437
Ion Ratio Lower Upper
117 100
82 49.5 44.1 66.1
119 31.9 24.9 37.3



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.56 min Scan# 1912
Delta R.T. 0.00 min
Lab File: VW015315.D
Acq: 22 Apr 2020 18:11

Tgt Ion:152 Resp: 111219
Ion Ratio Lower Upper
152 100
115 54.9 31.3 93.9
150 152.6 0.0 343.4

