

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042224\
 Data File : VW028508.D
 Acq On : 22 Apr 2024 14:15
 Operator : SY/MD
 Sample : P2164-14
 Misc : 5.42g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Apr 23 02:44:44 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Apr 23 02:42:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	371119	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	324600	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	130049	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	121823	20.476	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.920%
7) Chloroethane-d5	2.899	69	99285	22.017	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.080%
11) 1,1-Dichloroethene-d2	4.021	65	52632	20.890	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	83.560%
21) 2-Butanone-d5	7.075	46	52922	47.535	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.060%
24) Chloroform-d	7.648	84	221765	22.900	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.600%
26) 1,2-Dichloroethane-d4	8.307	65	119573	23.760	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.040%
32) Benzene-d6	8.276	84	442398	24.948	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.800%
36) 1,2-Dichloropropane-d6	9.270	67	134579	25.532	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	102.120%
41) Toluene-d8	10.319	98	384647	23.855	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	95.400%
43) trans-1,3-Dichloroprop...	10.575	79	45032	21.486	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.960%
47) 2-Hexanone-d5	10.922	63	34818	47.688	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	95.380%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	90888	24.440	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	97.760%
66) 1,2-Dichlorobenzene-d4	13.848	152	106867	25.984	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.920%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042224\
Data File : VW028508.D
Acq On : 22 Apr 2024 14:15
Operator : SY/MD
Sample : P2164-14
Misc : 5.42g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Apr 23 02:44:44 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Apr 23 02:42:24 2024
Response via : Initial Calibration

