

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042321\
 Data File : VW018757.D
 Acq On : 23 Apr 2021 14:57
 Operator : SY/VA
 Sample : M2121-03
 Misc : 2.74G/10ML/MSVOA_W/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Apr 24 00:17:59 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM041421SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Apr 24 00:16:05 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	461923	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.634	117	347085	25.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	102658	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	94963	13.53	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	54.12%		
7) Chloroethane-d5	2.892	69	89673	14.41	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	57.64%		
11) 1,1-Dichloroethene-d2	4.019	63	122140	10.02	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	40.08%#		
21) 2-Butanone-d5	7.074	46	83101	52.01	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	104.02%		
24) Chloroform-d	7.653	84	268970	21.22	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	84.88%		
26) 1,2-Dichloroethane-d4	8.506	65	166	0.02	ug/L	0.20
Spiked Amount 25.000	Range 70 - 130		Recovery =	0.08%#		
32) Benzene-d6	8.275	84	446195	21.91	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	87.64%		
36) 1,2-Dichloropropane-d6	9.275	67	160697	26.19	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	104.76%		
41) Toluene-d8	10.323	98	329177	17.68	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	70.72%		
43) trans-1,3-Dichloroprop...	10.579	79	44080	16.87	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	67.48%		
47) 2-Hexanone-d5	10.927	63	67645	63.40	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	126.80%		
56) 1,1,2,2-Tetrachloroeth...	12.695	84	129340	25.24	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	100.96%		
66) 1,2-Dichlorobenzene-d4	13.853	152	77693	21.54	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	86.16%		
Target Compounds					Qvalue	
13) Acetone	4.123	43	75944	65.48	ug/L	86
14) Carbon disulfide	4.385	76	168590	9.33	ug/L	100
16) Methylene chloride	4.922	84	15132	2.00	ug/L	91
22) 2-Butanone	7.177	43	28982	16.44	ug/L	98
39) cis-1,3-Dichloropropene	10.037	75	3283	0.40	ug/L	86
42) Toluene	10.390	91	7074	0.30	ug/L	93
60) Isopropylbenzene	12.865	105	5779	0.38	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042321\
Data File : VW018757.D
Acq On : 23 Apr 2021 14:57
Operator : SY/VA
Sample : M2121-03
Misc : 2.74G/10ML/MSVOA_W/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Apr 24 00:17:59 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM041421SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Apr 24 00:16:05 2021
Response via : Initial Calibration









#13
Acetone
Concen: 65.48 ug/L
RT: 4.123 min Scan# 364
Delta R.T. -0.006 min
Lab File: VW018757.D
Acq: 23 Apr 2021 14:57




Instrument :
MSVOA_W
ClientSampled :


Tgt Ion: 43 Resp: 75944
Ion Ratio Lower Upper
43 100
58 34.0 0.0 53.8



#14
Carbon disulfide
Concen: 9.33 ug/L
RT: 4.385 min Scan# 407
Delta R.T. -0.000 min
Lab File: VW018757.D
Acq: 23 Apr 2021 14:57

Tgt Ion: 76 Resp: 168590
Ion Ratio Lower Upper
76 100
78 9.2 7.4 11.0









#16
Methylene chloride
Concen: 2.00 ug/L
RT: 4.922 min Scan# 495
Delta R.T. 0.006 min
Lab File: VW018757.D
Acq: 23 Apr 2021 14:57




Instrument :
MSVOA_W
ClientSampled :


Tgt Ion: 84 Resp: 15132
Ion Ratio Lower Upper
84 100
86 64.1 45.3 84.1
49 107.8 86.6 160.8



#22
2-Butanone
Concen: 16.44 ug/L
RT: 7.177 min Scan# 865
Delta R.T. 0.006 min
Lab File: VW018757.D
Acq: 23 Apr 2021 14:57

Tgt Ion: 43 Resp: 28982
Ion Ratio Lower Upper
43 100
72 28.7 14.9 44.7









#39
cis-1,3-Dichloropropene
Concen: 0.40 ug/L
RT: 10.037 min Scan# 1334
Delta R.T. -0.037 min
Lab File: VW018757.D
Acq: 23 Apr 2021 14:57




Instrument :
MSVOA_W
ClientSampled :


Tgt Ion: 75 Resp: 3283
Ion Ratio Lower Upper
75 100
77 40.4 22.6 42.0



#42
Toluene
Concen: 0.30 ug/L
RT: 10.390 min Scan# 1392
Delta R.T. -0.000 min
Lab File: VW018757.D
Acq: 23 Apr 2021 14:57


Tgt Ion: 91 Resp: 7074
Ion Ratio Lower Upper
91 100
92 51.2 39.5 73.3





#60
Isopropylbenzene
Concen: 0.38 ug/L
RT: 12.865 min Scan# 1798
Delta R.T. 0.402 min
Lab File: VW018757.D
Acq: 23 Apr 2021 14:57

Instrument :
MSVOA_W
ClientSampleId :



Tgt Ion:	105	Resp:	5779
Ion	Ratio	Lower	Upper
105	100		
120	26.8	21.1	31.7
77	19.2	13.2	19.8

