




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042324\
 Data File : VW028517.D
 Acq On : 23 Apr 2024 14:10
 Operator : SY/MD
 Sample : P2235-02
 Misc : 4.65g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E0805

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/24/2024
 Supervised By :Mahesh Dadoda 04/24/2024

Quant Time: Apr 24 01:24:08 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 24 01:22:53 2024
 Response via : Initial Calibration



TIC: VW028517.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.221min (-0.085) 0.01 ug/L

response 72

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	52.10	37.50
51.00	108.40	86.11
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042324\
 Data File : VW028517.D
 Acq On : 23 Apr 2024 14:10
 Operator : SY/MD
 Sample : P2235-02
 Misc : 4.65g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E0805

Manual IntegrationsAPPROVED

Quant Time: Apr 24 01:24:08 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 24 01:22:53 2024
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/24/2024
 Supervised By :Mahesh Dadoda 04/24/2024



TIC: VW028517.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (0.000) 24.78 ug/L m

response 165824

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	52.10	0.02#
51.00	108.40	0.04#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042324\
 Data File : VW028517.D
 Acq On : 23 Apr 2024 14:10
 Operator : SY/MD
 Sample : P2235-02
 Misc : 4.65g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E0805

Manual IntegrationsAPPROVED

Quant Time: Apr 24 01:24:08 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 24 01:22:53 2024
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 04/24/2024
 Supervised By :Mahesh Dadoda 04/24/2024

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.843	114		493379	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117		433593	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152		189214	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.363	65		152333	19.259	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	77.040%		
7) Chloroethane-d5	2.899	69		126976	21.180	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	84.720%		
11) 1,1-Dichloroethene-d2	4.021	65		69392	20.717	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	82.880%		
21) 2-Butanone-d5	7.081	46		75058	50.711	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	101.420%		
24) Chloroform-d	7.648	84		294032	22.839	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	91.360%		
26) 1,2-Dichloroethane-d4	8.307	65		165824m	24.785	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	99.120%		
32) Benzene-d6	8.276	84		578912	24.440	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	97.760%		
36) 1,2-Dichloropropane-d6	9.270	67		176547	25.075	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	100.280%		
41) Toluene-d8	10.319	98		516168	23.964	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	95.840%		
43) trans-1,3-Dichloroprop...	10.575	79		67262	24.026	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	96.120%		
47) 2-Hexanone-d5	10.922	63		52458	53.787	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	107.580%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84		130678	26.306	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	105.240%		
66) 1,2-Dichlorobenzene-d4	13.848	152		147369	24.627	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	98.520%		
Target Compounds							
						Qvalue	
42) Toluene	10.386	91		351781	12.249	ug/L	99
53) m,p-Xylene	11.830	106		4799	0.396	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042324\
Data File : VW028517.D
Acq On : 23 Apr 2024 14:10
Operator : SY/MD
Sample : P2235-02
Misc : 4.65g/10mL/MSVOA_W/SOIL/A
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
E0805

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 04/24/2024
Supervised By :Mahesh Dadoda 04/24/2024

Quant Time: Apr 24 01:24:08 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040824SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Apr 24 01:22:53 2024
Response via : Initial Calibration

