

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW042419\
 Data File : VW010133.D
 Acq On : 25 Apr 2019 08:34
 Operator : SY/VA
 Sample : K2497-06MS
 Misc : 5.08G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
ClientSampleId :
 GAHY1

Manual Integrations
APPROVED

MMdadoda
 4/26/2019 12:52:13 PM

Quant Time: Apr 25 09:11:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM042419S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 25 09:08:51 2019
 Response via : Initial Calibration



TIC: VW010133.D

(10) 1,1-Dichloroethene-d2 (S)

4.007min (-0.012) 3.95ug/L

response 29067

Ion	Exp%	Act%
63.00	100	100
98.00	69.30	132.39#
65.00	23.10	42.21#
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW042419\
 Data File : VW010133.D
 Acq On : 25 Apr 2019 08:34
 Operator : SY/VA
 Sample : K2497-06MS
 Misc : 5.08G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
ClientSampleId :
 GAHY1

Manual Integrations
APPROVED

MMDadoda
 4/26/2019 12:52:13 PM

Quant Time: Apr 25 09:11:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM042419S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 25 09:08:51 2019
 Response via : Initial Calibration



TIC: VW010133.D

(10) 1,1-Dichloroethene-d2 (S)

4.007min (-0.012) 7.12ug/L m

204/28/19 cy

response 52443

Ion	Exp%	Act%
63.00	100	100
98.00	69.30	73.38
65.00	23.10	23.40
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW042419\
 Data File : VW010133.D
 Acq On : 25 Apr 2019 08:34
 Operator : SY/VA
 Sample : K2497-06MS
 Misc : 5.08G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAHY1

Manual Integrations
 APPROVED

MMdadoda
 4/26/2019 12:52:13 PM

Quant Time: Apr 25 09:18:08 2019

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM042419S.M

Quant Title : VOC Analysis

QLast Update : Thu Apr 25 09:08:51 2019

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	262533	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	337821	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	152861	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	11988	4.78	ug/L	-0.01
Spiked Amount 25.000	Range 30 - 150		Recovery =	19.12%	#	
7) Chloroethane-d5	2.90	69	24171	11.66	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	46.64%		
10) 1,1-Dichloroethene-d2	4.01	63	52443m	7.12	ug/L	-0.01
Spiked Amount 25.000	Range 45 - 110		Recovery =	28.48%	#	
20) 2-Butanone-d5	7.08	46	78816	66.51	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	133.02%		
24) Chloroform-d	7.65	84	193417	27.67	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	110.68%		
26) 1,2-Dichloroethane-d4	8.30	65	153406	37.53	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	150.12%	#	
29) Benzene-d6	8.27	84	318517	16.65	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	66.60%		
33) 1,2-Dichloropropane-d6	9.27	67	148174	24.84	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	99.36%		
37) Toluene-d8	10.32	98	273172	15.72	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	62.88%		
38) trans-1,3-Dichloropropene-	10.58	79	56431	20.53	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	82.12%		
39) 2-Hexanone-d5	10.93	63	49568	39.55	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	79.10%		
48) 1,1,2,2-Tetrachloroethane-	12.69	84	144955	29.28	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	117.12%		
61) 1,2-Dichlorobenzene-d4	13.86	152	143881	25.42	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	101.68%		

04/28/19

Target Compounds					Ovalue	
12) 1,1-Dichloroethene	4.04	96	27363	8.043	ug/L	# 69
13) Acetone	4.13	43	6691	7.481	ug/L	71
16) Methylene chloride	4.91	84	9500	2.582	ug/L	97
34) Benzene	8.32	78	387469	18.857	ug/L	100
35) Trichloroethene	9.09	95	77210	14.247	ug/L	99
44) Toluene	10.39	91	466225	21.434	ug/L	96
52) Chlorobenzene	11.66	112	341411	24.806	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW042419\
Data File : VW010133.D
Acq On : 25 Apr 2019 08:34
Operator : SY/VA
Sample : K2497-06MS
Misc : 5.08G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAHY1

Manual Integrations
APPROVED

MMdadoda
4/26/2019 12:52:13 PM

Quant Time: Apr 25 09:18:08 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM042419S.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 25 09:08:51 2019
Response via : Initial Calibration

