

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW042419\
 Data File : VW010133.D
 Acq On : 25 Apr 2019 08:34
 Operator : SY/VA
 Sample : K2497-06MS
 Misc : 5.08G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAHY1

Manual Integrations
 APPROVED

MMdadoda
 4/26/2019 12:52:13 PM

Quant Time: Apr 25 09:18:08 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM042419S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 25 09:08:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.84	114	262533	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	337821	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.56	152	152861	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	11988	4.78	ug/L	-0.01
Spiked Amount	25.000	Range	30 - 150	Recovery	=	19.12%#
7) Chloroethane-d5	2.90	69	24171	11.66	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	46.64%
10) 1,1-Dichloroethene-d2	4.01	63	52443m	7.12	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	28.48%#
20) 2-Butanone-d5	7.08	46	78816	66.51	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	133.02%
24) Chloroform-d	7.65	84	193417	27.67	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	110.68%
26) 1,2-Dichloroethane-d4	8.30	65	153406	37.53	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	150.12%#
29) Benzene-d6	8.27	84	318517	16.65	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	66.60%
33) 1,2-Dichloropropane-d6	9.27	67	148174	24.84	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	99.36%
37) Toluene-d8	10.32	98	273172	15.72	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	62.88%
38) trans-1,3-Dichloropropene-	10.58	79	56431	20.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	82.12%
39) 2-Hexanone-d5	10.93	63	49568	39.55	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	79.10%
48) 1,1,2,2-Tetrachloroethane-	12.69	84	144955	29.28	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	117.12%
61) 1,2-Dichlorobenzene-d4	13.86	152	143881	25.42	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.68%

Target Compounds

					Ovalue
12) 1,1-Dichloroethene	4.04	96	27363	8.043 ug/L #	69
13) Acetone	4.13	43	6691	7.481 ug/L	71
16) Methylene chloride	4.91	84	9500	2.582 ug/L	97
34) Benzene	8.32	78	387469	18.857 ug/L	100
35) Trichloroethene	9.09	95	77210	14.247 ug/L	99
44) Toluene	10.39	91	466225	21.434 ug/L	96
52) Chlorobenzene	11.66	112	341411	24.806 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW042419\
Data File : VW010133.D
Acq On : 25 Apr 2019 08:34
Operator : SY/VA
Sample : K2497-06MS
Misc : 5.08G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
GAHY1

Manual Integrations
APPROVED

MMdadoda
4/26/2019 12:52:13 PM

Quant Time: Apr 25 09:18:08 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM042419S.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 25 09:08:51 2019
Response via : Initial Calibration





#12

1,1-Dichloroethene

Concen: 8.043 ug/L

RT: 4.04 min Scan# 350

Delta R.T. 0.01 min

Lab File: VW010123.D

Acq: 25 Apr 2019 08:34

Instrument :

MSVOA_W





ClientSampleId :

GAHY1

Tot Ion	Ratio	Lower	Upper
96	100		
61	155.8	135.3	251.3
63	115.6	115.8	215.2#

Manual Integrations
APPROVED

MMDadoda
4/26/2019 12:52:13 PM



#13

Acetone

Concen: 7.481 ug/L




RT: 4.13 min Scan# 365


Delta R.T. 0.01 min

Lab File: VW010123.D

Acq: 25 Apr 2019 08:34

Tgt Ion	Ratio	Lower	Upper
43	100		
58	13.8	0.0	58.2









#16
Methylene chloride
Concen: 2.582 ug/L
RT: 4.91 min Scan# 493
Delta R.T. -0.01 min
Lab File: VW010133.D
Acq: 25 Apr 2019 08:34

Instrument :
MSVOA_W
ClientSampled :
GAHY1

Tot Ion	Ratio	Lower	Upper
84	100		
49	132.2	93.5	173.7
86	70.0	44.9	83.5




Manual Integrations
APPROVED




MMDadoda
4/26/2019 12:52:13 PM



#34
Benzene
Concen: 18.857 ug/L
RT: 8.32 min Scan# 1053
Delta R.T. -0.00 min
Lab File: VW010133.D
Acq: 25 Apr 2019 08:34

Tgt Ion: 78 Resp: 387469





#35

Trichloroethene

Concen: 14.247 ug/L

RT: 9.09 min Scan# 1179

Delta R.T. -0.00 min

Lab File: VW010123.D





Acq: 25 Apr 2019 08:34

Tot Ion	Ion	Ratio	Resp	Lower	Upper
95	100				
97	63.6	45.1	83.9		
132	97.4	67.2	124.8		
130	101.1	70.0	130.0		

Instrument :
MSVOA_W
ClientSampleId :
GAHY1

Manual Integrations
APPROVED

MMdadoda
4/26/2019 12:52:13 PM



#44

Toluene

Concen: 21.434 ug/L


RT: 10.39 min Scan# 1392


Delta R.T. 0.01 min

Lab File: VW010123.D

Acq: 25 Apr 2019 08:34

Tgt Ion	Ion	Ratio	Resp	Lower	Upper
91	100				
92	60.9	40.3	74.9		





#52
 Chlorobenzene
 Concen: 24.806 ug/L
 RT: 11.66 min Scan# 1600
 Delta R.T. -0.00 min
 Lab File: VW010133.D
 Acq: 25 Apr 2019 08:34

Instrument :
 MSVOA_W
 ClientSampleId :
 GAHY1

Tot Ion:	112	Resp:	341411
Ion Ratio	Lower	Upper	
112	100		
77	61.7	48.6	73.0
114	32.0	22.3	41.3

Manual Integrations
 APPROVED

MMDadoda
 4/26/2019 12:52:13 PM

