

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042423\
 Data File : VW025655.D
 Acq On : 24 Apr 2023 13:21
 Operator : SY/MD
 Sample : 02417-23
 Misc : 5.12g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EW906

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 04/25/2023
 Supervised By :Mahesh Dadoda 04/25/2023

Quant Time: Apr 25 01:10:58 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Apr 25 01:06:51 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	788396	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	629103	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	218621	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	175662	13.692	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	54.760%		
7) Chloroethane-d5	2.899	69	163684	17.920	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	71.680%		
11) 1,1-Dichloroethene-d2	4.021	63	317717	12.246	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	49.000%		
21) 2-Butanone-d5	7.081	46	131634	45.992	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	91.980%		
24) Chloroform-d	7.648	84	482682	21.805	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	87.240%		
26) 1,2-Dichloroethane-d4	8.307	65	274853m	23.867	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	95.480%		
32) Benzene-d6	8.276	84	912514	22.401	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	89.600%		
36) 1,2-Dichloropropane-d6	9.276	67	317160	24.971	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	99.880%		
41) Toluene-d8	10.325	98	748184	21.026	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	84.120%		
43) trans-1,3-Dichloroprop...	10.575	79	98416	20.667	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	82.680%		
47) 2-Hexanone-d5	10.922	63	82402	47.464	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	94.920%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	226925	26.470	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	105.880%		
66) 1,2-Dichlorobenzene-d4	13.848	152	164935	21.960	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	87.840%		
Target Compounds						Qvalue
16) Methylene chloride	4.917	84	48211	3.847	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042423\
Data File : VW025655.D
Acq On : 24 Apr 2023 13:21
Operator : SY/MD
Sample : 02417-23
Misc : 5.12g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EW906

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 04/25/2023
Supervised By : Mahesh Dadoda 04/25/2023

Quant Time: Apr 25 01:10:58 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM040323SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Apr 25 01:06:51 2023
Response via : Initial Calibration

