

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042721\
 Data File : VW018799.D
 Acq On : 27 Apr 2021 13:23
 Operator : SY/VA
 Sample : VIBLK
 Misc : 5.00G/10ML/MSVOA_W/SOIL
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Apr 28 00:42:07 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM041421SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Apr 28 00:41:12 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	535113	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	485528	25.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	232202	25.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	113085	13.91	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	55.64%		
7) Chloroethane-d5	2.891	69	101647	14.10	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery =	56.40%		
11) 1,1-Dichloroethene-d2	4.019	63	179156	12.69	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery =	50.76%		
21) 2-Butanone-d5	7.074	46	82617	44.63	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	89.26%		
24) Chloroform-d	7.647	84	301678	20.54	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery =	82.16%		
26) 1,2-Dichloroethane-d4	8.305	65	177159	21.46	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery =	85.84%		
32) Benzene-d6	8.275	84	584361	20.52	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery =	82.08%		
36) 1,2-Dichloropropane-d6	9.274	67	182598	21.27	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery =	85.08%		
41) Toluene-d8	10.323	98	515698	19.80	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery =	79.20%		
43) trans-1,3-Dichloroprop...	10.579	79	74857	20.49	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery =	81.96%		
47) 2-Hexanone-d5	10.927	63	69845	46.80	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery =	93.60%		
56) 1,1,2,2-Tetrachloroeth...	12.695	84	155991	21.76	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery =	87.04%		
66) 1,2-Dichlorobenzene-d4	13.853	152	179472	22.00	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery =	88.00%		
Target Compounds						
16) Methylene chloride	4.909	84	14311	1.63	ug/L	86
42) Toluene	10.390	91	11606	0.35	ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW042721\
Data File : VW018799.D
Acq On : 27 Apr 2021 13:23
Operator : SY/VA
Sample : VIBLK
Misc : 5.00G/10ML/MSVOA_W/SOIL
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: Apr 28 00:42:07 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM041421SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Apr 28 00:41:12 2021
Response via : Initial Calibration








#16
Methylene chloride
Concen: 1.63 ug/L
RT: 4.909 min Scan# 493
Delta R.T. -0.000 min
Lab File: VW018799.D
Acq: 27 Apr 2021 13:23


Instrument :
MSVOA_W
ClientSampled :



Tgt Ion: 84 Resp: 14311
Ion Ratio Lower Upper
84 100
86 56.2 45.3 84.1
49 106.5 86.6 160.8



#42
Toluene
Concen: 0.35 ug/L
RT: 10.390 min Scan# 1392
Delta R.T. 0.006 min
Lab File: VW018799.D
Acq: 27 Apr 2021 13:23



Tgt Ion: 91 Resp: 11606
Ion Ratio Lower Upper
91 100
92 61.9 39.5 73.3

